Reference No: PT2-SYS-CBII-CC-0069-2023 / 33060 , Dated: 16-10-2026

Request for Proposal (RFP) for Supply, Installation, Testing and Commissioning of Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar under the Sports & Youth Services Department, Government of Odisha

October 2026

Sports and Youth Services Department, Government of Odisha Kalinga Stadium, Nayapalli, Bhubaneswar – 751012

Contents

A. Notice for Request for Proposal – Data Sheet 3
B. Disclaimer 5
C. Abbreviations 8
D. Definitions and Interpretations 9
E. Instructions to Bidders 12
F. Introduction 21
G. Eligibility Criteria 22
H. Terms of Reference 25
I. List of Annexures 27
Annexure-I: Tender Submission Letter 28
Annexure-II: Bidder's Authorization Certificate 29
Annexure-III: Format for Certification of Average Annual Turnover 30
Annexure-IV: Registration Certificate of the company 31
Annexure-V: Power of Attorney 32
Annexure VI: Organizational Background 34
Annexure VII: Information on Bidder's Organization 35
Annexure VIII: Requirement of Gym Equipment 36
Annexure IX: Work experience Format 67
Annexure X: Compliance Certificate 69
Annexure XI: Financial Proposal Form (To be submitted online only (In the BoQ Sheet) and not as part of the Technical Proposal) 70
Annexure XII: Format for Performance Security 75
Annexure XIII: Manufacturer's Authorization Letter 77
Annexure XIV: Certifications and Product literature 78
Annexure XV: Affidavit Regarding Non-Blacklisting / Non-Debarment 79
Annexure XVI: Format of Pre-Bid Queries 80
Annexure XVII: Format of Contract 81
Annexure – A 84
Annexure - B 85
Annexure - C 86

A. Notice for Request for Proposal – Data Sheet

Sports and Youth Services Department, Government of Odisha,
Kalinga Stadium, Nayapalli, Bhubaneswar –751012

Reference No: PT2-SYS-CBII-CC-0069-2023 Dated: 16-10-2026

Sports and Youth Services Department, Government of Odisha, invites sealed Bids under two bid-basis i.e., Technical Bid and Financial Bid from reputed Agencies for ***'Request for Proposal (RFP) for Supply, Installation, Testing and Commissioning of Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar under the Sports & Youth Services Department, Government of Odisha.***

Sl. No	Information	Details
1	Name of RFP	Request for Proposal (RFP) for Supply, Installation, Testing and Commissioning of Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar under the Sports & Youth Services Department, Government of Odisha.
2	Type of RFP	Open Tender
3	Mode of tendering	E- tender
4	Mode of evaluation	Least Cost method (L1)
5	Last date for sending queries to DSYS, Government of Odisha	Date: 23-10-2026; Time: 05:00PM Queries may be sent by email (in MS Word Format only as per Annexure XVI): tender.dsys@odisha.gov.in
6	Pre-bid meeting	Date: 26-10-2026; Time: 04:30PM; (to be held via video conferencing Link: *https://meet.google.com/zyk-iecu-hks*
7	Issue of responses to pre-bid queries, addendum/ corrigendum, if required	Date: 30-10-2026
8	Bid Start Date	Date: 31-10-2026
9	Bid Due Date	Date: 16-11-2026; Time: 4:30 PM
10	Opening of Technical Bid	Date: 16-11-2026; Time: 5:00 PM
11	Opening of Financial Bid	Dates for the Financial Bid opening shall be intimated to the technically qualified bidders only
12	Bid Processing Fee/ Tender Document Cost (non-refundable)	Amount: **INR 10,000/- (Rupees Ten Thousand only),** to be submitted only in the form of Demand Draft (DD) drawn in favour of "Sports and Youth Services Department, Government of Odisha", payable at Bhubaneswar. The Demand Draft shall be sent by Registered Post /

	including GST	Courier and must reach the office of the Director, Sports and Youth Services Department, Government of Odisha, addressed to Kalinga Stadium, Nayapalli, Bhubaneswar, Odisha – 751012, **on or before the Bid Due Date and Time.**
13	Earnest Money Deposit (EMD)	The bidder shall deposit an **Earnest Money Deposit (EMD) of INR 80,000 (eighty thousand rupees)** in the form of a Demand Draft. The Demand Draft shall be drawn in favour of Sports and Youth Services, Government of Odisha, payable at Bhubaneswar. The EMD shall be sent by Registered Post / Courier and must reach the office of the Director, Sports and Youth Services, Government of Odisha, addressed to Sports and Youth Services Department, Government of Odisha, Kalinga Stadium, Nayapalli, Bhubaneswar, Odisha – 751012, on or before the Bid Due Date and Time. The EMD shall remain valid for a period of 30 (thirty) days beyond the Bid Validity period.

The interested bidders should submit their bids only in the e-tender portal https://tendersodisha.gov.in/

Sports and Youth Services Department, Government of Odisha reserves the right to cancel the bid at any time or amend/ withdraw any of the terms and conditions contained in the RFP Document without assigning any reason thereof.

Director, Sports

B. Disclaimer

1. This Request for Proposal ("RFP") is neither an agreement nor an offer by Sports and Youth Services Department, Government of Odisha to the prospective bidders or any third party. The purpose of this RFP is to provide interested parties with information to facilitate the formulation of their Bid pursuant to this RFP.

2. This RFP includes statements, which reflect various assumptions and assessments arrived at by Sports and Youth Services Department, Government of Odisha. Such assumptions, assessments and statements do not purport to contain all the information that a party may require. This RFP may not be appropriate for all persons, and it is not possible for Sports and Youth Services Department, Government of Odisha to consider the particular needs of each party who reads or uses this RFP document. The assumptions, assessments, statements and information contained in this RFP document may not be complete, accurate, adequate or correct. Each bidder must, therefore, conduct its own investigations and analysis and should verify the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessments, statements and information contained in this RFP and obtain independent advice from appropriate sources.

3. Information provided in this RFP to the bidders is on a wide range of matters, some of which may depend upon interpretation of law. The information provided is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. Sports and Youth Services Department, Government of Odisha accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

4. Sports and Youth Services Department, Government of Odisha, its employees and their agencies make no representation or warranty and shall have no liability to any person including any Bidder under any law, statute, rules or regulations, the law of contract, tort, principles of restitution or unjust enrichment or otherwise for any loss, damage, cost or expense which may arise from or be incurred or suffered in connection with this RFP, or any matter deemed to form part of this RFP, or arising in any way in relation to this RFP process.

5. Neither Sports and Youth Services Department, Government of Odisha nor their employees or their consultants make any representation or warranty as to the accuracy, reliability or completeness of the information in this RFP. Sports and Youth Services Department, Government of Odisha also accepts

no liability of any nature whether resulting from negligence or otherwise, howsoever caused arising from reliance of any Bidder upon the statements contained in this RFP.

6. The bidder should confirm that the RFP document downloaded by them is complete in all respects, including all annexures and attachments, if any. In the event the document or any part thereof is missing, the Bidder shall notify Sports and Youth Services Department, Government of Odisha immediately at the following address:

Email: tender.dsys@odisha.gov.in

7. If no intimation is received within the last date for submission of Pre-Bid queries, it shall be considered that the RFP Documents received by the Bidder is complete in all respects and that the bidder is fully satisfied with the RFP Documents.

8. No extension of time shall be granted to any Bidder for submission of its Proposal on the ground that the Bidder did not obtain the complete set of the RFP document.

9. This RFP and the information contained herein are strictly confidential and privileged and are for the exclusive use of the bidder to whom it is issued. This RFP shall not be copied or distributed by the recipient to third parties (other than, to the extent required by applicable law or in confidence to the recipient's professional advisors, provided that such advisors are bound by confidentiality restrictions at least as strict as those contained in this RFP). In the event after the issue of the RFP, the recipient does not continue with its involvement in the Bidding Process for any reason whatsoever, this RFP and the information contained herein shall be always kept confidential by such party and its professional advisors.

10. Sports and Youth Services Department, Government of Odisha may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the statements, information, assessment or assumptions contained in the RFP documents at any time during the RFP process. Agencies are expected to keep track of the same on the portal.

11. The bidders or any third party may not object to such changes/ modifications/ additions/ alterations as provided in Clause 10 above, explicitly or implicitly. Any such objection by the bidder shall make the bidder's bid liable for rejection by Sports and Youth Services Department, Government of Odisha. Further objection by any third party shall be construed as infringement on confidentiality and privileged rights of Sports and Youth Services Department, Government of Odisha with respect to this RFP.

12. Sports and Youth Services Department, Government of Odisha reserves the right in its sole discretion, without any obligation or liability whatsoever, to accept or reject any or all the proposals at any stage of the RFP process without assigning any reasons. The decision of Sports and Youth Services Department, Government of Odisha shall be final and binding in this regard.

13. Bidders shall not make any public announcements with respect to the RFP process or the RFP document. Public announcements, if any, are to be made with respect to the RFP process or this RFP shall be made exclusively by Sports and Youth Services Department, Government of Odisha. Any breach by a bidder in this regard shall be deemed to be in non-compliance with the terms and conditions of this RFP and shall render the proposal liable for rejection. Sports and Youth Services Department, Government of Odisha's decision in this regard shall be final and binding on the bidder.

14. By responding to the RFP, the Bidder shall be deemed to have confirmed that it has fully satisfied and understood the terms and conditions of the RFP. The Bidder hereby expressly waives any and all claims in respect thereof.

15. The bid is not transferable.

C. Abbreviations

BG	Bank Guarantee
DSYS	Sports and Youth Services Department, Government of Odisha
EMD	Earnest Money Deposit
FY	Financial Year
GST	Goods and Services Tax
GSTIN	GST Identification Number
I/C	In-Charge
IFSC	Indian Financial System Code
INR	Indian Rupee/ legal tender currency of India
IT	Income Tax
JV	Joint Venture
LD	Liquidated Damages
LLP	Limited Liability Partnership
LOA	Letter of Award
NEFT	National Electronic Funds Transfer
RFP	Request for Proposal
PAN	Permanent Account Number
RTGS	Real Time Gross Settlement
OEM	Original Equipment Manufacturer

D. Definitions and Interpretations

The words and expressions beginning with capital letters and defined in this document shall, unless repugnant to the context, have the meaning ascribed thereto herein.

1. **"Applicable Laws"** means all laws, legislations, statutes, rules, directives, ordinances, notifications, exemptions, regulations, judgements/orders of any court, tribunal, regulatory bodies and quasi-judicial bodies or any interpretation thereof enacted, issued, or promulgated by any authority and applicable to either Sports and Youth Services Department, Government of Odisha or to the Bidders;

2. **"Authorized Signatory"** means the designated person of the agency authorized to represent the agency in all matters pertaining to its Proposal. The designated person should hold the Power of Attorney duly authorizing him/ her to perform all tasks including but not limited to sign and submit the Proposal to participate in all stages of the RFP Process, to conduct correspondence for and on behalf of the agency, and to execute any document required to give effect to the outcome of the RFP Process;

3. **"Bid"** or **"Proposal"** means the documents submitted by a Bidder pursuant to this RFP, including the Technical Bid along with any additional information/clarifications required/ sought by Sports and Youth Services Department, Government of Odisha and the Financial Bid, submitted strictly in the formats provided by Sports and Youth Services Department, Government of Odisha. The Bid shall not be considered to be a Bid if it is not submitted as per the formats prescribed by Sports and Youth Services Department, Government of Odisha;

4. **"Bidder"** or **"bidder"** or **"Agency"** or **"agency"** designates an Agency which has made a proposal, a tender or a bid with the aim of concluding a Service Order/ Agreement with Sports and Youth Services Department, Government of Odisha;

5. **"RFP Process"** or **"Bidding Process"** means the process governing the submission and evaluation of the Bids as set out in the RFP itself;

6. **"Bid Due Date"** shall mean the last date for submission of bids, as given in Sl. No. 7 of the datasheet in the RFP. No bids shall be accepted after the Bid Due Date;

7. **"Bid Processing Fee"** shall be the amount the bidder shall pay to Sports and Youth Services Department, Government of Odisha non-refundable amount ("Bid Processing Fee"), indicated in the Data Sheet, as part of its Technical Proposal.

The mode of payment of the Bid Processing Fee is also indicated in the Data Sheet.

8. **"EMD"** means the amount submitted by a Bidder to Sports and Youth Services Department, Government of Odisha for participating in the Bidding Process, in terms of the below clause.
- The amount of EMD demanded in the tender shall be deposited by the bidder while submitting the tender in the form of demand draft.
- Any bidder that does not submit the EMD shall be rejected by Sports and Youth Services Department, Government of Odisha, as non-responsive.
- The EMD will be refunded to the bidders whose offers have not been accepted.
- EMD of the bidder whose offer is accepted will be kept up till the time, the Bank Guarantee is not received.
- The EMD shall be valid for 30 days beyond the Bid Validity period. (DD validity period, 180 days +30 days)
- If the bidder withdraws the bid during the validity period of the bid before the commencement of the project, the EMD amount will not be refunded.
- As per the Government of India guidelines, Rule 170 of GFR, Startups recognized by the Department for Promotion of Industry and Internal Trade (DPIIT) and Micro and Small Enterprises as per the Department for MSME are exempt from depositing EMD in Govt tenders.

9. **"Bid Validity Period"** shall initially remain valid and binding on the bidder for at least 180 (one hundred and eighty) days from the Bid Due Date, as given in the Schedule for the RFP. Any bid with a shorter validity period shall be rejected by Sports and Youth Services Department, Government of Odisha

10. **"Financial Year"** means the 12-month period from 1st April to 31st March corresponding to the audited annual accounts;

11. **"Letter of Award (LOA)"** means the official written intimation by Sports and Youth Services Department, Government of Odisha notifying the Preferred Bidder/ Service provider that the work has been awarded in its favour as per the terms and conditions mentioned therein.

12. **"Net Worth"** shall have the meaning ascribed to it in Section 2(57) of the Companies Act, 2013;

13. **"Request for Proposal"** or **"RFP"** or **"RFP Document"** or **"RFP Paper"** or **"RFP Documents"** or **"Bid Documents"** means documents issued by Sports and Youth Services Department, Government of Odisha vide RFP Reference No PT2-SYS-CBII-CC-0069-2023 Dated: 19-08-2026 Request for Proposal (RFP) for Supply, Installation, Testing and Commissioning of Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar under the Sports & Youth Services Department, Government of Odisha and shall include any modifications, amendments, corrigenda/ addenda, or alterations thereto. The

documents are as follows:

(a) This RFP document;

(b) b) Any corrigendum (a)/ addendum (a) and clarification(s) to the RFP Document issued by Sports and Youth Services Department, Government of Odisha subsequent to the issue of the RFP Document will also be considered an integral part of the RFP Document. Any reference to the RFP Document in the Agreement shall include such corrigendum(a)/ addendum(a);

14. **"Pre-Bid Meeting"** means Pre-Bid meeting to be held as per the schedule indicated in the Schedule of the RFP hereof between Sports and Youth Services Department, Government of Odisha, and the bidders for clearing doubts if any;

15. **"Related Party"** shall have the meaning ascribed to it in Section 2(76) of the Companies Act, 2013;

16. **"Turnover"** shall have the meaning ascribed to it in Section 2(91) of the Companies Act, 2013.

17. **"Sports and Youth Services Department, Government of Odisha"** or **"DSYS, Government of Odisha"** shall mean the Sports and Youth Services Department, Government of Odisha, having its registered office at Kalinga Stadium, Bhubaneswar – 751012

All other capitalized words not defined herein shall have the same meaning as ascribed to them in the RFP. Terms and expressions not defined anywhere in the Bid Documents shall have the same meaning as are assigned to them in Indian Contract Act, 1872 and /or in General Clauses Act, 1897.

E. Instructions to Bidders

1. **Bid Preparation Cost:** The Bidder shall bear all its costs associated with or relating to the preparation and submission of its bid including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by Sports and Youth Services Department, Government of Odisha or any other costs incurred in connection with or relating to its bid. All such costs and expenses will remain with the bidder and Sports and Youth Services Department, Government of Odisha shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a bidder in preparation or submission of the bid, regardless of the conduct or outcome of the bidding process.

2. The bidder is expected to examine all instructions, forms, terms and conditions in the RFP document. Failure to furnish all information required by the RFP document or submission of a tender not substantially responsive to the RFP document in every respect will be at the bidder's risk and may result in rejection of the bid.

3. The procurement as part of this RFP shall be in compliance with the Amendment to OGFR 2023.

4. The bidder shall not make or cause to be made any alteration, erasure, or obliteration to the text of the RFP document.

5. The bid documents shall be shared with the agencies via the portal and DSYS website. There shall be no sale of hard copies of the bid documents. The Bid Processing Fee shall have to be paid on or before of bid due date,

6. **Bid Processing Fee**: The bidder shall pay to Sports and Youth Services Department, Government of Odisha a non-refundable amount ("Bid Processing Fee"), indicated in the Data Sheet, as part of its Technical Proposal. The mode of payment of the Bid Processing Fee is also indicated in the Data Sheet.

7. Consortiums / Joint Ventures (JVs) are not allowed. Proposals from Bidders, applying individually shall be considered for evaluation. Firms/Agencies desirous of participating in this Bid should not have been debarred/blacklisted by any Government agency.
8. The provisions of Rule 144(xi) of GFR, 2017 and applicable Government of India orders regarding procurement from countries sharing a land border with India shall be followed.

9. Preparation of Bids

9.1 **Language:** Bids and all accompanying documents shall be in the English language. In case any accompanying materials are in other languages, an English translation shall accompany it. The English version shall prevail in matters of interpretation which is notarized by competent authority.

9.2 **Form of Bid:** The form of a bid shall be completed in all respects and duly signed and stamped by an authorized representative of the Bidder. Relevant power of attorney for signing the bid should be attached.

9.3 **Currencies of Bid and Payment:** The bidder shall submit its financial bid in Indian National Rupee (₹ / Rs.), and payment under this contract will be made in Indian National Rupee (₹ / Rs.)

10. Clarifications by Bidders

10.1 Bidders requiring any clarification on the RFP document may contact DSYS, Government of Odisha in writing by email within such date as specified in the Schedule of Bidding Process.

10.2 All correspondence for clarifications should be submitted as per the format attached at 'Annexure XVI' to the address mentioned in the data sheet in writing by Mail.

10.3 DSYS, Government of Odisha shall endeavour to respond to the queries raised or clarifications sought by the Bidders. To be fair to all prospective bidders, the responses to queries shall be uploaded on the e-tender website. However, DSYS, Government of Odisha reserves the right not to respond to any query or provide any clarification, in its sole discretion, and nothing in this clause shall be construed, taken or read as compelling or requiring DSYS, Government of Odisha to respond to any query or to provide any clarification.

10.4 At any time prior to the Bid Due Date, DSYS, Government of Odisha may, for any reason, whether at its own initiative or in response to clarifications requested by Bidder(s), modify the RFP document by way of issue of Addendum/ Corrigendum/ Clarifications. Any Addendum/ Corrigendum/ Clarifications thus issued shall be uploaded on the e- tender website and will be part of the original RFP.

11. Pre-Bid Meeting

11.1 To clarify and discuss issues with respect to the Project and the RFP Document, a pre- bid meeting ("Pre-Bid Meeting") will be held as per the details provided in Point 5 of the Data Sheet.

11.2 Prior to the Pre-Bid meeting, the Bidders may submit a list of queries and proposed suggestions word format as per Annexure-XVI, if any, to the RFP requirements.

11.3 Bidders may note that DSYS, Government of Odisha will not entertain any deviations to the RFP Document at the time of submission of the Proposal or

thereafter. The Proposal to be submitted by the Bidders will be unconditional and unqualified, and the Bidders would be deemed to have accepted the terms and conditions of the RFP Document with all its contents. Any conditional Proposal shall be regarded as non- responsive and would be liable for rejection.

11.4 Bidders' representatives attending the Proposal opening shall bring an authorization letter from the Bidder.

11.5 In case of any change in the schedule of the Pre-Bid Meeting, the same will be communicated to Bidders through the e-tender website.

11.6 A maximum of two officials/ representatives from each bidder may attend the pre- bid meeting. All costs of the bidder related to attending the pre-bid meeting shall be borne by the bidder. This meeting is to be conducted to clarify and redress doubts and difficulties of the bidders.

11.7 Attendance of the bidders at the Pre-Bid Meeting is not mandatory. Sports and Youth Services Department, Government of Odisha will endeavour to respond to queries received by the scheduled date as per Clause 1 from all bidders, irrespective of attendance of the bidder in the Pre-Bid Meeting.

11.8 No interpretation, revision, or other communication from DSYS, Odisha regarding this solicitation is valid unless in writing. Sports and Youth Services Department, Government of Odisha may choose to send to all Bidders whose Proposals are under consideration, in writing, or by any standard electronic means such as Mail or by uploading on the website(s) of responses, including a description of the inquiry but without identifying its source to all the Bidders.

12. Format and Signing of Bid

12.1 The documents comprising the bid shall be typed, and **all pages of the bid shall be signed** by a person duly authorized to sign on behalf of the bidder.

12.2 The bid shall contain no alterations, omissions, or additions except those to comply with an instruction issued by Sports and Youth Services Department, Government of Odisha or are necessary to correct errors made by the bidder, in which case such corrections shall be initialed/signed by the person signing the bid.

12.3 The proposal shall be properly bound, indexed, and serially numbered.

13. Submission of Bids

13.1 The bidder shall submit their offer under two bid-basis. Technical Bid and the Financial Bid. The Financial Bid shall be submitted on the e-tender portal only as per the schedule and separate to the technical bid**.** The bidder shall ensure that the technical and financial bids are submitted as per the two-bid basis. In case, the financial bid is submitted as part of the technical bid, the bid shall be liable to be declared non-responsive and shall be rejected. The Bids that are submitted beyond the stipulated date and time under any circumstances whatsoever will not be considered.

13.2 **Technical Bid:** Bidders shall have to submit their Technical Bid on the e-tender procurement portal of the Government of Odisha. The Technical Bid should consist of clear and legible scanned copies of all the required

documents and should be submitted within the Bid Due Date, as indicated in the Schedule for the Tender. The Technical Bid shall contain no information on the Price Bid of the Bidder.

13.3 **Financial Bid:** Bidders shall have to submit their Financial Bid as per the Financial Proposal form in Annexure – XI in both words and figures and in case of any discrepancy between the word and figure of the quoted rate, the rate mentioned in words shall prevail. The financial bid shall be submitted **ONLINE only**.

13.4 Basic rate should be per unit as mentioned in Annexure XI.

13.5 The basic and total rate should be inclusive of supply, transportation, installation, warranty charges.

13.6 Rates should be exclusive of all statutory taxes.

13.7 The financial proposal shall be valid for a period of **180 days** from the date of Opening of Technical bid. If accepted, the applicable rates shall be valid for a period of **1 Year** from the date of award of supply order.

13.8 However, owing to special circumstances, DSYS, Govt of Odisha reserves option to have a new tender for additional Gym equipment or purchase by issuing another tender.

13.9 The quantity mentioned in Annexure XI is indicative and may be increased or decreased as per actual requirement of DSYS, Govt of Odisha.

13.10 The rates quoted for each of the equipment shall be applicable for supply anywhere in the state of Odisha for a period of 1 Year from the date of award of supply order.

13.11 In case the preferred bidder is unable to supply the agreed quantity of Gym equipment, as per specifications and/or within stipulated time DSYS reserves the right to negotiate with the next preferred bidder for supply of some of the equipment at L1 price.

13.12 Technical specification of the equipment's (consumable/non-consumable) should be as per the specification. In case any queries about the specification should be mentioned in the pre bid queries.

13.13 The supplies received, if not found as per specification of tendered items, are liable to be rejected.

13.14 The bidders will give an affidavit certifying that the quality and brand of equipment supplied are as per specifications and requirements of the tender (Annexure VIII). Any non-compliance to the requirement specifications should be clearly mentioned in the template specified in Annexure X.

13.15 In case any dispute arises in regard to the tender, the decision of Commissioner-cum-Secretary, DSYS, Government of Odisha will be final and binding.

13.16 In case of litigation, the courts at Bhubaneswar only will have the jurisdiction for deciding the case according to Indian law and force.

13.17 DSYS, Govt. of Odisha taking into account past performance of party, reserves the right to reject any tender.

13.18 It must be noted that this is just an enquiry and doesn't amount to any commitment on the part of DSYS, Government of Odisha to order any products offered. The decision of DSYS, Government of Odisha in this regard would be

final and be entirely, at its discretion.

13.19 The supplier is required to apply to the purchaser for extension of delivery period and obtain the same before dispatch. In case the supplier dispatches the goods without obtaining an extension, it would be doing so at its own risk and no claim for payment for such supply and/or any other expense related to such supply shall lie against the purchaser.

13.20 The purchaser, without prejudice to any other contractual rights and remedies available to it (the purchaser) may, by written notice of default sent to the supplier, terminate the contract in whole or in part, if the supplier fails to deliver any or all the goods or fails to perform any other contractual obligations within the time period specified in the contract, or within any extension thereof granted by the purchaser.

13.21 Successful bidder will be provided maximum 30 days from date of work order to supply and install equipment at all the locations as per Annexure VIII.

13.22 Successful bidder must bid for all the equipment. In order for technical qualification, all items to be provided by the bidder must meet technical criteria.

14. Material Deviation

Material Deviation received in the bids shall include, inter alia, the following

14.1 The Technical Bid or any accompanying document or Financial Bid submitted by the Bidder is not in accordance with the formats given in this RFP document.

14.2 The Technical Bid is not accompanied by all the documents required to be submitted in terms of this RFP document.

14.3 It does not contain all the information (complete in all respects) as requested in this RFP document (in accordance with the formats provided in this RFP document);

14.4 The Technical Bid is not accompanied by documentary evidence of the credentials of the Bidder(s).

14.5 The Technical Bid or Financial Bid submitted by the Bidder is conditional or qualified.

14.6 The bid submitted by the Bidder is not valid for the minimum bid validity period.

14.7 It is otherwise substantially/ materially in deviation of the terms and conditions of the RFP document.

15. DSYS, Government of Odisha may waive any nonconformity in the Bid that does not constitute a material deviation, reservation or omission. DSYS, Government of Odisha may request that the Bidder submit information or documentation, within a reasonable period of time to rectify nonmaterial nonconformities in the Technical Bid related to documentation requirements. Requesting information or documentation on such non- conformities shall not be related to any aspect of the Financial Bid. Failure of the Bidder to comply with the request of DSYS, Government of Odisha by the date specified therein may result in the rejection of its Bid.

16. Late and Delayed Bids:

16.1 Bids must be received no later than the date and time stipulated in the RFP

document. DSYS, Government of Odisha may, at its discretion, extend the deadline for submission of bids in which case all rights and DSYS, Government of Odisha and the bidder will be the same.

16.2 Any bid received by DSYS, Government of Odisha after the deadline for submission of bids, as stipulated above, shall not be considered.

17. Acknowledgement by the Bidder: It shall be deemed that by submitting its bid, the Bidder has:

i) made a complete and careful examination of the RFP documents, including the proforma agreement;

ii) received all relevant information requested from Sports and Youth Services Department, Government of Odisha;

iii) accepted the risk of inadequacy, error or mistake in the information provided in the RFP documents or furnished by or on behalf of Sports and Youth Services Department, Government of Odisha relating to any of the matters related to this RFP or otherwise;

iv) satisfied itself about the scope of work and services to be delivered/rendered and the extant conditions and all matters, things and information necessary and required for submitting an informed bid and for providing the required services in accordance with the RFP documents including the contract (to be signed with Sports and Youth Services Department, Government of Odisha) and performance of all of its obligations thereunder;

v) acknowledged and agreed that inadequacy, lack of completeness or incorrectness of information said to be in the bidding documents or ignorance of any of the matters shall not be a basis for any claim for compensation, damages, extension of time for performance of its obligations, loss of profits etc. from Sports and Youth Services Department, Government of Odisha;

vi) agreed to be bound by the undertakings provided by it under and in terms;

Sports and Youth Services Department, Government of Odisha shall not be liable for any omission or commission, mistake or error in respect of any of the above or on account of any matter or thing arising out of or concerning or relating to the RFP documents or the bidding process, including any error or mistake therein or in any information or data given by Sports and Youth Services Department, Government of Odisha.

18. Opening and Evaluation of Technical Bid

18.1 Technical Bids will be opened as per the schedule indicated in Schedule of the RFP

18.2 The Technical Bid of the bidder would be evaluated as per the eligibility criteria set out in the Section G of the RFP document. Bids will be evaluated based on the information submitted by the bidders. However, Sports and Youth Services Department, Government of Odisha reserves the right to seek clarification/documents from the bidders if Sports and Youth Services

Department, Government of Odisha considers it necessary for proper assessment of the bid.

18.3 The Technical Bids will be evaluated based on the criteria and only those Bidders whose Technical Proposals are in compliance with the eligibility criteria shall be considered technically qualified.

19. Opening of Financial Bid and Final Evaluation

19.1 The Financial Bids of the technically qualified bidders shall be opened in the presence of such bidders' representatives who choose to attend.

19.2 The bidder with the lowest financial bid will be the most preferred bidder.

19.3 In case of significant variation in the rates of various individual items, Sports and Youth Services Department, Government of Odisha reserves the right to negotiate the rate or exclude the items for execution by the Successful Bidder

19.4 DSYS reserves the right to increase or decrease the scope of work, at the time of signing of the contract.

19.5 The Financial Bid should include all costs related to supply and installation of equipment including, transportation, installation and any other costs. The tender does not entail any commitment on the part of DSYS, Government of Odisha either financially or otherwise. DSYS, Government of Odisha reserves the right to accept or reject any or all tenders without incurring any obligation to inform the applicants.

19.6 If any exemption available as per custom/excise rule for Government Organizations processing the request certificate will be provided to the agency. The agency shall have to pass the exemption relief to DSYS, Government of Odisha.

19.7 No advance payment will be made. It will be mandatory for the bidders to indicate their bank account number. The payment of bills will be made on submission of the following documents by the seller to the paying authority along with the bill:

a) Ink-signed copy of contingent bill/Seller's bill.
b) Ink-signed copy of Commercial invoice/Seller's bill
c) Copy of Supply Order/Contract
d) Inspection note, as applicable
e) Claim for statutory and other levies to be supported with requisite documents/proof of payment such as Excise duty challan, Customs duty clearance certificate, Octroi receipt, etc. as applicable.
f) Exemption certificate for Excise duty/Customs duty, if applicable.
g) Guarantee/Warranty certificate.
h) Delivery period extension letter with DSYS, Government of Odisha approval, indicating whether extension is with or without Last Date.
i) **Details for Payment**: Account Holder's Name, Bank Name, Branch Name and Address, Account Type, Account Number, IFSC code, MICR code (if these details are not incorporated in supply order/contact)
j) Any other document OR certificate that may be provided for in the supply order/ contract.

k) User acceptance.

19.8 Failure of the Successful Bidder to comply with the requirements shall constitute sufficient grounds for the annulment of the LOA. In such an event, Sports and Youth Services Department, Government of Odisha reserves the right to,

(a) invite the second-ranked bidder and negotiate upon the following scenario, or
(b) take any such measure as may be deemed fit in the sole discretion of Sports and Youth Services Department, including annulment of the Bidding Process.

20. Penalty Clause:

A) Penalty for Delay in Delivery:

In case of delayed delivery except for Force Majeure cases, the Seller shall pay to the Buyer for every week of delay penalty amounting to 1% of the total value of the items whose delivery has been delayed. Any fractional part of a week is to be considered a full week. If the delay exceeds four (4) weeks, it shall be treated as an inordinate delay, and LD may be imposed up to a maximum of 10% of the total contract value, in addition to the Buyer's right to terminate the Contract, forfeit the Performance Security, and take any other action as per the Contract.

21. Right to accept any Bid and to reject any or all bids

21.1 Sports and Youth Services Department, Government of Odisha is not bound to accept the lowest bid or any bid and may at any time by giving notice in writing terminate the tendering process.

21.2 Sports and Youth Services Department, Government of Odisha may terminate the contract/cancel the LOA if it is found that the bidder is blacklisted on previous occasions by any of the central/ state government ministry/ department/ institutions/local bodies/ municipalities/ PSUs, etc.

21.3 Sports and Youth Services Department, Government of Odisha may also terminate the contract/cancel the LOA in the event the Successful Bidder fails to furnish the performance security or fails to execute the agreement.

22. Award of Contract

22.1 Sports and Youth Services Department, Government of Odisha will award the contract to the Successful Bidder to perform the contract satisfactorily as per the terms and conditions incorporated in the RFP document.

22.2 Sports and Youth Services Department, Government of Odisha will communicate the outcome to the most preferred Bidder by mail confirmed by letter transmitted by registered/speed post that its bid has been accepted. This letter (hereinafter and in the condition of contract called the "Letter of Award") shall prescribe the amount which Sports and Youth Services Department, Government of Odisha will pay to the Successful Bidder in consideration of the execution of work/services by them as prescribed in the contract.

22.3 The Successful Bidder will be required to commence the assignment at the

earliest, as communicated by Sports and Youth Services Department, Government of Odisha in this regard.

22.4 The Successful Bidder will be required to execute the contract for the services within a period of 15 Days from the date of issue of Letter of Award.

23. Performance Security

23.1 The Successful Bidder shall be required to furnish a Performance Security prior to signing the contract (for an amount which is **5% of total project cost/contract value)** in the form of Bank Guarantee from a scheduled Bank in an acceptable form in favor of **Sports and Youth Services Department, Government of Odisha,' payable at Bhubaneswar.** The Performance Security shall be valid for a period of 60 (sixty) days beyond the date of completion of all contractual obligations. In case the contract period is extended, further, the validity of Performance Security shall also be extended by the Successful Bidder accordingly. The format for Bank Guarantee for Performance Security is provided at **Annexure -XII**

23.2 Failure of the Successful Bidder to comply with the requirements of the above clauses shall constitute sufficient grounds for the annulment of the award and other actions as deemed necessary.

24. Payment Terms:

24.1 Payment shall be made subject to recoveries, if any, by way of liquidated damages or any other charges as per terms & conditions of contract in the following manner:

Hundred percent (100%) payment of the work order price subject to recoveries / liquidated damages/shortages etc., if any, shall be paid on receipt of goods in good condition and upon submission of the following documents:

(i) Supplier's invoice showing contract number, goods description, quantity, unit price and total amount;

(ii) warranty certificate.

(iii) Inspection & Acceptance Certificate, in original issued by the authorized representative of the consignee;

F. Introduction

The Government of Odisha has made significant strides in strengthening the State's sports ecosystem through the development of world-class sports infrastructure, High-Performance Centres, Sports Hostels, Centres of Excellence, and various athlete development initiatives.

As part of its commitment to providing world-class training facilities for football players, the Sports & Youth Services Department, Government of Odisha, intends to procure commercial-grade Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar.

The successful Bidder shall be responsible for the supply, delivery, installation, testing, commissioning, and handing over of the Gym Equipment, as specified in Annexure VIII, at the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar. The Gym Equipment shall conform to the technical specifications prescribed in this RFP and shall be installed, tested, and commissioned to the satisfaction of the Sports & Youth Services Department, Government of Odisha.

G. Eligibility Criteria

Criteria	Requirements	Documentary Evidence Required
Legal Status of Bidder	The bidder shall be a legal entity duly registered in India. The bidder may be a Company incorporated under the Companies Act, 1956 or Companies Act, 2013; or a Limited Liability Partnership (LLP) registered under the LLP Act, 2008; or a Partnership Firm registered under the Indian Partnership Act, 1932; or a Sole Proprietorship firm.	Enclose copy of certificate of incorporation/registration issued by relevant authority in India. PAN & GST certificate.
Financial Capacity	The bidder must have a minimum average annual turnover of **Rs. ₹1 Crore (One crore)** during any three (3) of the last five (5) audited financial years ending March 2025. (i.e., FY 2020–21, FY 2021–22, FY 2022–23, FY 2023–24, and FY 2024–25).	The bidder shall submit a Turnover Certificate issued by a Chartered Accountant (CA) with UDIN, along with the audited Balance Sheet and Profit & Loss Account for any three (3) of the financial years between FY 2020-21 and FY 2024–25. Submission of the CA-issued Turnover Certificate is Mandatory. Annexure III)
Past Experience	**Past Experience in Supply of Gym Equipment** *The bidder shall have successfully completed similar supply orders for Gym Equipment for any Government Department, Government Organization, Public Sector Undertaking (PSU), or Local Body in India during the last three (3) financial years and up to the bid submission date, satisfying **any one** of the following criteria:* *i. **One (1)** similar supply order having a minimum contract value of **₹1.50 Crore**;* ***or*** *ii. **Two (2)** similar supply orders, each having a minimum contract value of **₹75.00 Lakh**; **or*** *iii. **Three (3)** similar supply orders, each having a minimum contract value of **₹50.00 Lakh**.* *NB: (i.e.FY 2023–24, FY 2024–25, FY 2025–26 and up to the bid submission date)* ***Gym Equipment** means commercial fitness equipment used for strength training, functional training, cardio workouts, and general physical fitness in indoor gymnasiums.*	The Bidder shall submit the following documents in support of the claimed experience: 1. Copies of the relevant **Supply Order(s)/Purchase Order(s)/Work Order(s)/Agreement(s)** issued by the respective Government Department, Public Sector Undertaking (PSU), Government Local Body, or any other Government Organization. 2. The corresponding **Completion Certificate(s)** or **Performance Certificate(s)** issued by the client for each contract claimed towards meeting the eligibility criteria. **Claims not supported by the corresponding Completion Certificate(s)/Performance Certificate(s) shall not be considered for evaluation.** 3. A **Certificate issued by a Chartered Accountant (CA)** With valid UDIN No. As per **Annexure IX- B** 4. The Bidder shall furnish the details of the claimed experience in the prescribed **Annexure IX-A**. **Note:** For the purpose of evaluation under this RFP, the value of the similar work(s) shall be considered exclusive of GST and all other applicable taxes and duties.

Blacklisting / Debarment	The bidder should not have been blacklisted / debarred by any Central Government / State Government / Public Sector Undertaking (PSU) / Autonomous Body / Statutory Body / Public Sector Bank on account of corrupt, fraudulent, collusive or unethical business practices as on the date of bid submission. Even if the matter relating to such blacklisting/debarment is under litigation and the outcome is pending, such bidder shall not be eligible to participate in this tender.	Affidavit on ₹100 Stamp Paper duly notarized declaring that the bidder has not been blacklisted/debarred. Format: Annexure **XV**
OEM Certificate / Authorization	**The bidder must be either a Manufacturer or an Authorized Agent /Distributor/Dealer:** **(a)** The bidder shall be the Original Equipment Manufacturer (OEM) of the Quoted product. **OR** **(b)** In case the bidder is not the OEM of the Quoted product then the bidder must be an **Authorized Supplier / Distributor / Dealer**.	**a) If Manufacturer:** If the bidder is the Original Equipment Manufacturer (OEM) of the quoted product, the bidder shall submit the OEM Certificate as per **Annexure-XIII**. **b) If bidder is an Authorized supplier / Distributor/Dealer of Quoted product:** 1. Valid Authorization Letter from OEM or OEM-authorized distributor, specifically permitting participation in this tender as per **Annexure-XIII**. and 2. Dealership/distribution agreement or certificate. **Clarification:** • Authorization issued by a **Distributor is valid only if the Distributor is officially authorized by the OEM (Offering make)**. • All letters and certificates must be on the **official letterhead** of the OEM or OEM-authorized Distributor. • Authorization Letter must clearly state that the **bidder is permitted to participate in this tender**. If bidder is authorized through a Distributor (two proofs required): 1. Proof that the **Distributor is authorized by the OEM**. 2. Authorization from the distributor permitting the bidder to participate in this tender. 3. Submit: Annexure XIII

NOTE

- Where a Supply Order/Work Order/Agreement includes both Gym Equipment and other items such as sports equipment, sports apparel, sportswear, uniforms, footwear, accessories, or any other goods, only the value of the Gym Equipment (exclusive of GST and other applicable taxes and duties) shall be considered for eligibility evaluation. The Bidder shall clearly

segregate and substantiate the value of the Gym Equipment through supporting documentary evidence and a Chartered Accountant (CA) Certificate with valid UDIN. Claims where the value of the Gym Equipment is not clearly identifiable or segregated shall not be considered for evaluation.

- Only completed supply orders/contracts shall be considered for Past Experience evaluation.
- All equipment certifications and product literature should be submitted as part of technical bid. Wherever applicable, product literature should clearly mention specifications of the equipment so that the product can be compared with tender requirements.
- Any literature without detailed specification make/model no. will be treated as non-submission of product literature.
- In respect of procurements executed through the Government e-Marketplace (GeM) portal, the Contract Receipt and Acceptance Certificate (CRAC) generated through the GeM portal shall be accepted as a valid Completion Certificate for the purpose of this RFP. However, the bidder shall mandatorily submit a Chartered Accountant (CA) Certificate (with UDIN) certifying the value of the Gym Equipment supplied under the respective contract, exclusive of applicable statutory taxes (GST), for the purpose of establishing compliance with the prescribed above eligibility criteria.
- **Financial Bids for only those bidders who are meeting the eligibility criteria / conditions in the technical bid shall be opened.**

H. Terms of Reference

1. Scope of Services

The scope of work under this RFP shall include the supply, delivery, installation, testing, commissioning, calibration (where applicable), and successful handing over of commercial-grade gym equipment for the AIFF-FIFA-Odisha Talent Academy under the Sports & Youth Services Department, Government of Odisha. The successful Bidder shall supply all equipment strictly in accordance with the technical specifications prescribed in this RFP, transport the equipment to the designated site, undertake complete installation and commissioning, ensure proper functioning and operational readiness, provide user manuals, warranty support, and training to the designated personnel for operation and routine maintenance of the equipment. The Bidder shall also rectify any defects arising during the warranty period and shall be responsible for compliance with all applicable standards, safety requirements, and directions issued by the Department until the successful completion and acceptance of the work.

- Supply, delivery, installation, testing, commissioning, and handing over of all Gym Equipment specified in this RFP at the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar.
- Supply only new, unused, commercial-grade Gym Equipment conforming to the technical specifications, quality standards, and performance requirements prescribed in this RFP.
- Transport, unloading, shifting, positioning, assembly, installation, anchoring (where required), testing, and commissioning of the equipment at the designated location, including all labour, tools, tackles, consumables, and incidental materials required for successful installation.
- Ensure that all equipment is fully functional, safe for use, and ready for operation upon commissioning.
- Provide all accessories, fittings, fixtures, hardware, cables, fasteners, and other components necessary for complete installation and operation, whether or not specifically mentioned in the technical specifications.
- Conduct operational demonstration and basic training for the personnel nominated by the Department on the safe operation, routine maintenance, and proper usage of the equipment.
- **Warranty:** The successful Bidder shall provide a comprehensive on-site warranty for all Gym Equipment for a minimum period of three (3) years from the date of successful installation, testing, commissioning, and acceptance by the Department. Where the Original Equipment Manufacturer (OEM) offers a warranty exceeding the minimum warranty period specified in this RFP for any equipment or component, the Bidder shall pass on the full benefit of such extended OEM warranty to the Department without any additional cost. During the warranty period, the Bidder shall repair or replace any defective equipment, component, or part, including labour, transportation, and spare parts, at no additional cost to the Department.
- Provide warranty support, including repair or replacement of defective equipment/components, during the warranty period at no additional cost to the Department.
- Replace any equipment or component found damaged, defective, non-functional, or not conforming to the specifications during inspection, installation, commissioning, or the warranty period.
- Submit all required documents, including manufacturer warranty certificates, operation and maintenance manuals, installation reports, inspection reports, and any other documents specified in the RFP.

- Comply with all applicable safety standards, manufacturer's guidelines, and directions issued by the Sports & Youth Services Department during execution of the contract.
- The successful Bidder shall be solely responsible for any damage caused to the equipment, building, flooring, or other Department property during transportation, handling, installation, or commissioning and shall restore the same at its own cost.
- The work shall be deemed complete only upon successful installation, testing, commissioning, inspection, and formal acceptance of all Gym Equipment by the Sports & Youth Services Department, Government of Odisha.
- **Pre-Dispatch Inspection (If required):** DSYS, Government of Odisha, reserves the right to conduct a pre-dispatch inspection of the equipment at the successful bidder's premises, if deemed necessary, prior to supply.

I. List of Annexures

Sl. No	Description	Annexure	Checklist (Yes/No)
1.	Tender Submission Letter	Annexure-I	
2.	Bidder's Authorization Certificate	Annexure-II	
3.	Format for Certification of Average Annual Turnover	Annexure-III	
4.	Registration Certificate of the Company	Annexure-IV	
5.	Power of Attorney	Annexure-V	
6.	Organizational Background	Annexure – VI	
7.	Information on Bidder's Organization	Annexure–VII	
8.	Requirements of Gym Equipment	Annexure-VIII	
9.	Work experience Format	Annexure-IX	
10.	Compliance Certificate	Annexure-X	
11.	Financial Proposal Form (To be submitted online only (In the BoQ Sheet) and not as part of the Technical Proposal)	Annexure-XI	
12.	Format for Performance Security	Annexure-XII	
13.	Manufacturer's Authorization Letter	Annexure-XIII	
14.	Certifications and Product Literature	Annexure-XIV	
15.	Affidavit Regarding Non-Blacklisting / Non-Debarment	Annexure-XV	
16.	Format of Pre-Bid Queries	Annexure-XVI	
17.	Format of the Contract	Annexure - XVII	

Annexure-I: Tender Submission Letter

To
Director, Sports
Sports and Youth Services Department,
Government of Odisha, Kalinga Stadium,
Nayapalli, Bhubaneswar
Odisha – 751012

Sub: Request for Proposal (RFP) for Supply, Installation, Testing and Commissioning of Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar under the Sports & Youth Services Department, Government of Odisha

Ref: RFP No. XXXXX Dated. XXXXX

Sir,

I/ We, the undersigned, offer to provide the above goods/services to Sports and Youth Services Department, Government of Odisha. We are hereby submitting our bid.

I/We, hereby declare that:

(a) We are enclosing and submitting herewith our Bid, with the details as per the requirements of the tender, for your evaluation and consideration.
(b) I/We have read carefully the terms and conditions of the tender document attached hereto and hereby agree to abide by the said terms and conditions.
(c) The bid is unconditional.
(d) I/We undertake that documents submitted are genuine/authentic and nothing material has been concealed. I/We understand that the contract is liable to be cancelled, if it is found to be having obtained, through fraudulent means/concealment of information.
(e) We shall make available to Sports and Youth Services Department, Government of Odisha any additional information it may find necessary or require clarifying, supplement or authenticate the Bid.
(f) Until a formal agreement is prepared and executed, acceptance of this tender document shall constitute a binding contract between Sports and Youth Services Department, Government of Odisha and us subject to the modifications, as may be mutually agreed to, between Sports and Youth Services Department, Government of Odisha and us.
(g) We agree to keep this bid valid for acceptance for a period of one hundred eighty (180) days from the date of opening the bid.

We understand that Sports and Youth Services Department, Government of Odisha is not bound to accept any tender that Sports and Youth Services Department, Government of Odisha receives.

Yours faithfully,
Authorised Signatory
(with Name, Designation, Contact no. and Seal)
Note: ***On the Letterhead of the Bidder***

Annexure-II: Bidder's Authorization Certificate

To

Sports and Youth
Services Department,
Government of Odisha,
Kalinga Stadium,
Nayapalli,
Bhubaneswar – 751012

Sub: Request for Proposal (RFP) for Supply, Installation, Testing and Commissioning of Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar under the Sports & Youth Services Department, Government of Odisha

Ref: RFP No. XXXXX Dated. XXXXX

Sir,

I/We {Name/Designation} hereby declare/certify that {Name/Designation} is hereby authorized to sign relevant documents on behalf of the company/firm in dealing with tender No_dated _____. He/ She is also authorized to attend meetings & submit technical & commercial information/ clarifications as may be required by you while processing the Bid. For the purpose of validation, his/ her verified signatures are as under.

Thanking you,

Name of the Bidder:

Authorised Signatory:

Verified Signature:
Seal of the Organisation:

Date:

Place:

Note: Please attach the valid power of attorney in favour of the person signing this authorisation letter

Annexure-III: Format for Certification of Average Annual Turnover

Ref: Date:

(To be submitted on the official letterhead of the Chartered Accountant, duly signed and sealed)

Financial Turnover Details

Sl. No.	Financial Year	Annual Turnover (INR)
1	FY 2020–21	
2	FY 2021–22	
3	FY 2022–23	
4	FY 2023–24	
5	FY 2024–25	

Average Annual Turnover (best 3 out of the above 5 Years)

Financial Years Considered	Total Turnover (INR)	Average Annual Turnover (INR)
FY ___, FY ___, FY ___		

This is to certify that we have examined the audited books of accounts of **M/s** _____ for the relevant financial years and that the turnover details furnished above have been verified from the audited Balance Sheets and Profit & Loss Accounts.

We further certify that the **average annual turnover of the said bidder is INR _____/- (Rupees _____ only)** in **any three (3) of the last five (5) audited financial years ending March 2025, i.e., FY 2020–21 to FY 2024–25**, in accordance with the tender requirements.

Name of CA / CA Firm:
Membership No.:
Firm Registration No. (FRN):
UDIN:
Date:
Place:

Signature & Seal of the Chartered Accountant

Documents to be Enclosed

1. Audited Balance Sheet(s) for the financial year(s) claimed
2. Audited Profit & Loss Account(s) for the financial year(s) claimed

Note: Certificates not issued on the official letterhead of the Chartered Accountant shall be treated as non-responsive and shall not be considered for evaluation under this tender.

Annexure-IV: Registration Certificate of the company

Registration Certificate to be included

Annexure-V: Power of Attorney

(To be executed on INR 100 non-judicial stamp paper and to be duly notarized)

Know all men by these presents, We, (Name of Firm and address of the registered office) do hereby constitute, nominate, appoint and authorize Mr / Ms……son/daughter/wife and presently residing at, who is presently employed with/ retained by us and holding the position ofas our true and lawful attorney (hereinafter referred to as the "Authorized Representative") to do in our name and on our behalf, all such acts, deeds and things as are necessary or required in connection with or incidental to submission of our Request for Proposal (RFP) for Supply, Installation, Testing and Commissioning of Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar under the Sports & Youth Services Department, Government of Odisha ,Project proposed to be developed by the (the "Authority") including but not limited to signing and submission of all applications, proposals and other documents and writings, participating in pre-bid and other conferences and providing information/ responses to the Authority, representing us in all matters before the Authority, signing and execution of all contracts and undertakings consequent to acceptance of our proposal and generally dealing with the Authority in all matters in connection with or relating to or arising out of our Proposal for the said Project and/or upon award thereof to us till the entering into of the Agreement with the Authority.

AND, we do hereby agree to ratify and confirm all acts, deeds and things lawfully done or caused to be done by our said Authorised Representative pursuant to and in exercise of the powers conferred by this Power of Attorney and that all acts, deeds and things done by our said Authorised Representative in exercise of the powers hereby conferred shall and shall always be deemed to have been done by us.

IN WITNESS WHEREOF WE, ... THE ABOVE- NAMED PRINCIPAL HAVE EXECUTED T H I S POWER OF ATTORNEY ON THIS .....DAY OF ....., 20.....

For .....

(Signature, name, designation, and address)

Witnesses: 1.

2.

Notarised

Accepted .....

(Signature, name, designation, and address of the Attorney

Notes:

- The mode of execution of the Power of Attorney should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executant(s) and when it is so required the same should be under common seal affixed in accordance with the required procedure.
- Wherever required, the Applicant should submit for verification the extract of the charter documents and other documents such as a resolution/power of attorney in favour of the person executing this Power of Attorney for the delegation of power hereunder on behalf of the Applicant.
- For a Power of Attorney executed and issued overseas, the document will also have to be legalised by the Indian Embassy and notarised in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Applicants from countries that have signed The Hague Legislation Convention, 1961 are not required to be legalised by the Indian Embassy if it carries a conforming Apostille certificate

Annexure VI: Organizational Background

Provide here a brief (two pages) description of the background and organization of your firm/entity.

- Organization Structure
- Past Experience in similar work
- Clientele of company/firm/agency
- Geographical Presence of Firm/Agency/ Company

Annexure VII: Information on Bidder's Organization

Sl. No.	Particulars	Details
1.	Name of the Bidder	
2.	Address of the Bidder	
3.	Incorporation status of the Bidder (Company or Firm) (Relevant Certificate to be submitted in Technical Bid)	
4.	Year of Establishment	
5.	Valid GST Registration No. (Copy of certificate to be submitted)	
6.	Permanent Account No. (PAN) (Copy of PAN Card to be submitted)	
7.	Name and Designation of the contact person to whom all references shall be made regarding this Bid	
8.	Telephone No. (with STD Code)	
9.	E-mail id of the Contact Person	
10.	Fax No. (with STD Code)	
11.	Website (if any)	
12.	Declaration of the bidder that no case/dispute/claim with arbitration court/consumer forum etc. are pending as on date of release of RFP (Declaration on Rs. 100 stamp paper)	
13	Declaration by the Bidder that the firm has not been blacklisted / debarred by any Central Government / State Government / PSU / Autonomous Body / Statutory Authority and that no such proceedings are pending as on the date of submission of the bid (Declaration to be submitted on non-judicial stamp paper of Rs. 100).	

Note: Please attach all the relevant documents like Power of Attorney (Annexure V), Certificate of Incorporation, GST IN, TAN, PAN

……

Name of the Bidder

……..

Name and Signature of the
Authorized Signatory

Annexure VIII: Requirement of Gym Equipment

- The bidder shall supply high quality Gym equipment:
- Photographs/Illustrations: The photographs, images, or illustrations provided below the respective item tables in this RFP are for reference and illustrative purposes only to indicate the general appearance, type, and intended use of the Gym equipment. They shall not be construed as specifying or indicating any particular brand, make, model, design, manufacturer, or country of origin. The Bidder shall offer Gym equipment that fully conforms to the technical specifications and all other requirements stipulated in this RFP, irrespective of the photographs, images, or illustrations provided.
- The below list is indicative in nature. Actual quantity shall increase or decrease depending on the actual requirement.

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
1.	The Hex Trap Bar(26kg, 28mm and 32mm)	**Type:** Olympic Open/Hex Trap Bar for commercial strength training **Material:** High-strength alloy/structural steel **Bar Weight:** 26 kg **Handle Diameter:** Dual grip handles of approximately 28 mm and 32 mm **Grip:** Precision-machined medium to aggressive diamond knurling for secure grip **Knurl:** 1.5mm **Whip:** No Whip **Overall Length:** Approximately 2180 mm **Sleeve Diameter:** Compatible with 50 mm Olympic weight plates **Loadable Sleeve Length:** Minimum 400 mm **Finish:** Durable corrosion-resistant powder-coated, hard chrome, or equivalent finish **Sleeve Rotation:** Bushings or bearings for smooth sleeve rotation **Load Capacity:** Minimum 450 kg static load		2	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		capacity **Shaft Coating:** 7 Tank Powder Coat **Sleeve Coating:** 7 Tank Powder Coa			
2.	Open Olympic Trap Bar	**Construction:** Heavy-duty commercial open-frame Olympic trap bar manufactured from high-strength structural/alloy steel. **Bar Weight:** 17 kg. **Handle Diameter:** approximately 28 mm with precision-machined medium knurling for secure grip. **Overall Length:** approximately 2150–2160 mm with minimum 400 mm loadable sleeve length, no whip construction for enhanced stability during deadlifts, carries, and functional training. **Finish:** hard chrome, chrome-plated, or equivalent corrosion-resistant coating and compatible with 50 mm Olympic weight plates. **Sleeve Rotation:** bushings and/or bearings preferred. **Load Capacity:** 450 kg. **Application:** Suitable for intensive commercial gym and athletic training applications.		2	Nos
3.	The Drill Bar 28mm	**Construction:** Commercial-grade technique/drill bar manufactured from seamless ERW steel pipe or equivalent high-strength steel, **Application:** Designed for beginner training and weightlifting technique practice. **Overall Length:** 4.10 Ft **Shaft Diameter:** 28 mm. **Weight:** 1.3 kg (25 mm) and 1.5 kg (28 mm). **Knurling:** IWF standard knurl marks with precision-machined medium knurling for secure grip. **Finish:** Durable textured black powder-coated or equivalent corrosion-resistant finish. **Application:** Suitable for repeated commercial training use.		6	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
4.	Multipurpose Olympic Barbell (20 kg, 28.5 mm)	**Construction:** Heavy-duty commercial multipurpose Olympic barbell manufactured from high-strength alloy steel. **Bar Weight:** 20 kg with 28.5 mm shaft diameter. **Overall Length:** approximately 2200 mm with minimum 410 mm loadable sleeve length. **Knurling:** Precision-machined dual knurl marks conforming to IPF and IWF standards, with center knurl. **Knurling:** Medium knurl pattern providing secure grip. **Whip:** Moderate whip suitable for Olympic lifting and powerlifting exercises. **Feature:** Hard chrome or equivalent corrosion-resistant shaft and sleeve finish. **Sleeve Rotation:** supported by high-quality bronze bushings and/or needle bearings for smooth rotation. **Tensile Strength:** 190,000 PSI. **Load Capacity:** 680 kg. **Compatibility:** Compatible with 50 mm Olympic weight plates.		2	Nos
5.	Junior Olympic Barbell (10 kg, 25 mm)	**Construction:** Commercial-grade junior Olympic training bar manufactured from high-strength alloy steel. **Bar Weight:** 10 kg with 25 mm shaft diameter. **Overall Length:** approximately 2200 mm with minimum 165 mm loadable sleeve length. **Knurling:** Precision-machined knurling with IPF/IWF standard knurl marks and no center knurl. **Whip:** Good whip characteristics suitable for youth and technique training. **Feature:** Black hard chrome, hard chrome, or equivalent corrosion-resistant finish on shaft and sleeves. **Sleeve Rotation:** supported by high-quality bearings and/or bushings. **Tensile Strength:** 190,000 PSI.		4	Nos


Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		Load Capacity: 680 kg. **Compatibility:** Compatible with 50 mm Olympic weight plates.			
6.	Women's Olympic Barbell (15 kg, 25 mm)	**Construction:** Commercial-grade women's Olympic barbell manufactured from high-strength alloy steel. **Bar Weight:** 15 kg. **Shaft Diameter:** 25 mm. **Overall Length:** Approximately 2200 mm. **Loadable Sleeve Length:** Minimum 320 mm. **Knurling:** Precision-machined medium knurling with IWF standard dual knurl marks and no center knurl. **Whip:** Moderate whip suitable for Olympic weightlifting and functional strength training. **Finish:** Corrosion-resistant hard chrome, ceramic coating, or equivalent durable finish on shaft and sleeves. **Sleeve Rotation:** supported by high-quality bearings and/or bushings for smooth rotation. **Minimum tensile strength:** 190,000 PSI. **Minimum static load capacity:** 680 kg. **Compatibility:** Compatible with 50 mm Olympic weight plates.		2	Nos
7.	Black Rubber Bumper Plate – 5 kg (Per Piece)	**Construction:** Commercial-grade Olympic bumper plate manufactured from high-quality virgin/natural rubber or equivalent durable material with precision-machined stainless steel or equivalent center insert. **Weight:** 5 kg. **Plate Diameter:** 450 mm (IWF Standard). **Collar Opening:** Suitable for 50 mm Olympic barbells (approximately 50.4 mm). **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±2% or better. **Feature:** Low-bounce construction suitable for repeated overhead drops. **Feature:** Reinforced steel insert for enhanced		4	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		durability. **Feature:** Raised lettering or colour-coded markings for easy identification. **Application:** Suitable for intensive commercial gym and weightlifting use.			
8.	Black Rubber Bumper Plate – 10 kg (Per Piece)	**Construction:** Commercial-grade Olympic bumper plate manufactured from high-quality virgin/natural rubber or equivalent durable material with precision-machined stainless steel or equivalent center insert. **Weight:** 10 kg. **Plate Diameter:** 450 mm (IWF Standard). **Collar Opening:** Suitable for 50 mm Olympic barbells (approximately 50.4 mm). **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±2% or better. **Feature:** Low-bounce construction suitable for repeated overhead drops. **Feature:** Reinforced steel insert for enhanced durability. **Feature:** Raised lettering or colour-coded markings for easy identification. **Application:** Suitable for intensive commercial gym and weightlifting use.		4	Nos
9.	Black Rubber Bumper Plate – 15 kg	**Construction:** Commercial-grade Olympic bumper plate manufactured from high-quality virgin/natural rubber or equivalent durable material with precision-machined stainless steel or equivalent center insert. **Weight:** 15 kg. **Plate Diameter:** 450 mm (IWF Standard). **Collar Opening:** Suitable for 50 mm Olympic barbells (approximately 50.4 mm). **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±2% or better. **Feature:** Low-bounce construction suitable for repeated overhead drops. **Feature:** Reinforced steel insert for enhanced		2	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		durability. **Feature:** Raised lettering or colour-coded markings for easy identification. **Application:** Suitable for intensive commercial gym and weightlifting use.			
10.	Colour Rubber Bumper Plate – 5 kg	**Construction:** Commercial-grade Olympic bumper plate manufactured from high-quality virgin/natural rubber or equivalent durable material with precision-machined stainless steel or equivalent center insert. **Weight:** 5 kg. **Plate Diameter:** 450 mm (IWF Standard). **Collar Opening:** Suitable for 50 mm Olympic barbells (approximately 50.4 mm). **Feature:** Colour-coded for easy weight identification with durable wear-resistant finish. **Weight Tolerance:** ±2% or better. **Feature:** Low-bounce construction suitable for repeated overhead drops. **Feature:** Reinforced steel insert for enhanced durability. **Feature:** Raised weight markings. **Application:** Suitable for intensive commercial and institutional use.		6	Nos
11.	Colour Rubber Bumper Plate – 10 kg	**Construction:** Commercial-grade Olympic bumper plate manufactured from high-quality virgin/natural rubber or equivalent durable material with precision-machined stainless steel or equivalent center insert. **Weight:** 10 kg. **Plate Diameter:** 450 mm (IWF Standard). **Collar Opening:** Suitable for 50 mm Olympic barbells (approximately 50.4 mm). **Feature:** Colour-coded for easy weight identification with durable wear-resistant finish. **Weight Tolerance:** ±2% or better. **Feature:** Low-bounce construction suitable for repeated overhead drops.		4	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		Feature: Reinforced steel insert for enhanced durability. **Feature:** Raised weight markings. **Application:** Suitable for intensive commercial and institutional use.			
12.	Colour Rubber Bumper Plate – 15 kg	**Construction:** Commercial-grade Olympic bumper plate manufactured from high-quality virgin/natural rubber or equivalent durable material with precision-machined stainless steel or equivalent center insert. **Weight:** 15 kg. **Plate Diameter:** 450 mm (IWF Standard). **Collar Opening:** Suitable for 50 mm Olympic barbells (approximately 50.4 mm). **Feature:** Colour-coded for easy weight identification with durable wear-resistant finish. **Weight Tolerance:** ±2% or better. **Feature:** Low-bounce construction suitable for repeated overhead drops. **Feature:** Reinforced steel insert for enhanced durability. **Feature:** Raised weight markings. **Application:** Suitable for intensive commercial and institutional use.		2	Nos
13.	Fractional Colour Rubber Plate Set (15 kg Set)	**Construction:** Commercial-grade fractional Olympic weight plate set manufactured from high-density virgin rubber or equivalent eco-friendly material. **Set Composition:** 0.5 kg, 1.0 kg, 1.5 kg, 2.0 kg and 2.5 kg plates (total 15 kg). **Compatibility:** Suitable for 50 mm Olympic barbells with approximately 50.4 mm collar opening. **Feature:** Precision weight tolerance of ±0.1% or better. **Hardness:** approximately 88 ±5 for durability and controlled rebound. **Feature:** Colour-coded with permanently marked		1	Set

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		weight identification. **Feature:** Stainless steel or equivalent precision-machined center insert. **Application:** Suitable for competition, Olympic lifting and commercial gym use.			
14.	Flat Bench (Welded)	**Construction:** Heavy-duty commercial welded flat weight bench constructed from minimum 11-gauge (3 mm) steel or equivalent. **Construction:** Heavy-duty welded frame with corrosion-resistant powder-coated finish and non-slip rubber feet/end caps. **Dimensions:** Bench height approximately 475 mm. **Construction:** High-density foam padding with durable tear-resistant upholstery. **Feature:** Back pad securely mounted using heavy-duty fasteners. **Feature:** Approximate pad dimensions 1145 × 280 × 60 mm. **Overall Dimensions:** approximately 1310 × 410 × 475 mm. **Load Capacity:** 450 kg. **Application:** Suitable for intensive commercial gym and strength training applications.		2	Nos
15.	Adjustable Flat/Incline/Decline (FID) Bench	**Construction:** Commercial-grade adjustable Flat/Incline/Decline (FID) bench manufactured from heavy-duty steel with corrosion-resistant powder-coated finish. **Construction:** High-density foam padding with durable upholstery. **Adjustment:** Adjustable backrest and seat with multiple flat, incline and decline positions secured by a positive locking mechanism. **Dimensions:** Bench height approximately 450 mm. **Feature:** Equipped with transport wheels and lifting handle for easy movement. **Weight:** Approximate product weight 43–46 kg. **Load Capacity:** 450 kg. **Application:** Suitable for commercial strength		4	Pair

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		training facilities.			
16.	J-Cup Pair for Power Rack/Rig	**Construction:** Heavy-duty J-Cup pair manufactured from minimum 8 mm thick structural steel compatible with commercial power racks and rigs. **Feature:** Contact surfaces lined with minimum 5 mm UHMW polyethylene or equivalent non-marking material to protect barbells and rack uprights. **Application:** Designed for secure barbell support under heavy loads. **Finish:** Corrosion-resistant powder-coated finish. **Compatibility:** Compatible with 75 × 75 mm uprights and 16 mm hardware or equivalent.		2	Pair
17.	Safety Strap Belt Set (41-inch Rack Depth)	**Construction:** Heavy-duty safety strap system for commercial power racks manufactured from industrial-grade nylon webbing with reinforced stitching. **Compatibility:** Compatible with racks having approximately 41-inch (1040 mm) depth. **Feature:** Minimum strap width 75 mm. **Adjustment:** Adjustable mounting positions at both ends to accommodate different lifting heights. **Hardware:** Steel mounting brackets with UHMW or equivalent protective lining to prevent damage to rack and barbell. **Application:** Suitable for heavy-duty commercial use.		1	Pair
18.	Leg Roller Attachment	**Construction:** Commercial-grade leg roller attachment constructed from heavy-duty steel with high-density foam roller and durable vinyl covering. **Dimensions:** Roller diameter approximately 100 mm, roller length approximately 420 mm, overall length approximately 545 mm. **Weight:** Product weight approximately 4 kg. **Compatibility:** Compatible with commercial power racks and rigs. **Finish:** Corrosion-resistant powder-coated finish.		1	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
19.	Safety Spotter Arm Pair	**Construction:** Heavy-duty safety spotter arm pair manufactured from minimum 11-gauge (3 mm) structural steel tubing with UHMW polyethylene or equivalent protective lining. **Approximate Dimensions:** 615 × 83 × 305 mm. **Load Capacity:** 320 kg. **Compatibility:** Compatible with commercial racks using 16 mm hardware or equivalent. **Construction:** Heavy-duty locking mechanism with corrosion-resistant powder-coated finish. **Application:** Suitable for commercial strength training facilities.		4	Pair
20.	Four-Station Functional Training Rig with Monkey Bars	**Construction:** Heavy-duty modular four-station training rig manufactured from minimum 75 × 75 mm, 11-gauge (3 mm) structural steel tubing with minimum 8 mm thick laser-cut steel connection plates. **Dimensions:** Overall height approximately 2500 mm (8 ft 2 in). **Bar Diameter:** with approximately 32 mm diameter. **Construction:** Heavy-duty seamless steel cross members and monkey bars. **Compatibility:** Compatible with 16 mm attachment hardware and accessories. **Hardware:** High-strength zinc-coated fasteners. **Finish:** Durable corrosion-resistant powder-coated finish. **Application:** Suitable for high-intensity functional training, CrossFit and commercial gym applications.		1	Nos
21.	Landmine Attachment for Power Rack/Rig	**Construction:** Commercial-grade landmine attachment manufactured from heavy-duty machined steel pipe or equivalent. **Dimensions:** approximately 280 mm, outer diameter approximately 63 mm, inner diameter approximately 52 mm, with minimum 4 mm wall thickness.		1	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		Compatibility: Compatible with 75 × 75 mm power rack uprights and 16 mm mounting hardware or equivalent. **Rotation:** Smooth pivoting mechanism for multi-directional movement. **Finish:** Corrosion-resistant powder-coated or equivalent durable finish. **Weight:** Product weight approximately 4 kg. **Application:** Suitable for intensive commercial strength training.			
22.	Vertical Plate Storage Tree	**Construction:** Heavy-duty vertical weight plate storage tree manufactured from minimum 60 × 40 mm, 11-gauge (3 mm) structural steel or equivalent. **Approximate Dimensions:** 710 × 610 × 1340 mm (L × W × H). **Storage Pegs:** with minimum 300 mm loadable length, suitable for 50 mm Olympic weight plates. **Finish:** Corrosion-resistant powder-coated finish with non-slip rubber feet for stability. **Weight:** Product weight approximately 28 kg. **Application:** Suitable for commercial gym environments.		2	Nos
23.	Vertical 9-Bar Storage Holder	**Construction:** Commercial-grade vertical barbell storage unit manufactured from minimum 4.5 mm laser-cut steel plate with heavy-duty steel pipe construction. **Approximate Dimensions:** 460 × 220 × 460 mm. **Compatibility:** Storage capacity for 9 Olympic barbells. **Compatibility:** approximately 52 mm, compatible with Olympic barbells. **Finish:** Corrosion-resistant powder-coated finish. **Weight:** Product weight approximately 25 kg. **Application:** Suitable for commercial gym and institutional use.		2	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
24.	Three-Tier Dumbbell Rack	**Construction:** Heavy-duty commercial three-tier dumbbell storage rack manufactured from structural steel with corrosion-resistant powder-coated finish. **Approximate Dimensions:** 2320 × 750 × 860 mm (L × W × H). **Compatibility:** Storage capacity for 30 round or hex dumbbells or equivalent. **Construction:** Heavy-duty angled trays for safe loading and unloading. **Feature:** Rubber feet or floor protectors provided. **Weight:** Product weight approximately 100 kg. **Application:** Suitable for commercial gym applications.		1	Nos
25.	Latex Resistance Band – Light (5–15 lb)	**Construction:** Commercial-grade continuous loop resistance band manufactured from high-quality natural latex or equivalent elastomer. **Resistance Range:** approximately 5–15 lb. **Feature:** Colour-coded for easy identification.		10	Nos
26.	Latex Resistance Band – Medium Light (15–35 lb)	**Construction:** Commercial-grade continuous loop resistance band manufactured from high-quality natural latex or equivalent elastomer. **Resistance Range:** approximately 15–35 lb. **Feature:** Colour-coded for easy identification.		10	Nos
27.	Latex Resistance Band – Medium (25–65 lb)	**Construction:** Commercial-grade continuous loop resistance band manufactured from high-quality natural latex or equivalent elastomer. **Resistance Range:** approximately 25–65 lb. **Feature:** Colour-coded for easy identification.		10	Nos


Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
28.	Latex Resistance Band – Medium Heavy (35–85 lb)	**Construction:** Commercial-grade continuous loop resistance band manufactured from high-quality natural latex or equivalent elastomer. **Resistance Range:** approximately 35–85 lb. **Feature:** Colour-coded for easy identification.		10	Nos
29.	Latex Resistance Band – Heavy (50–120 lb)	**Construction:** Commercial-grade continuous loop resistance band manufactured from high-quality natural latex or equivalent elastomer. **Resistance Range:** approximately 50–120 lb. **Feature:** Colour-coded for easy identification.		10	Nos
30.	Latex Resistance Band – Extra Heavy (60–160 lb)	**Construction:** Commercial-grade continuous loop resistance band manufactured from high-quality natural latex or equivalent elastomer. **Resistance Range:** approximately 60–160 lb. **Feature:** Colour-coded for easy identification.		5	Nos
31.	Latex Resistance Band – Ultra Heavy (90–220 lb)	**Construction:** Commercial-grade continuous loop resistance band manufactured from high-quality natural latex or equivalent elastomer. **Resistance Range:** approximately 90–220 lb. **Feature:** Colour-coded for easy identification.		5	Nos
32.	Latex Resistance Band – Maximum Resistance (120–240 lb)	**Construction:** Commercial-grade continuous loop resistance band manufactured from high-quality natural latex or equivalent elastomer. **Resistance Range:** approximately 120–240 lb. **Feature:** Colour-coded for easy identification.		2	Nos
33.	Cast Iron Kettlebell – 4 kg	**Construction:** Commercial-grade cast iron kettlebell manufactured from a single-piece high-quality cast iron construction or equivalent, designed for intensive commercial use. **Weight:** 4 kg. **Weight Tolerance:** ±1% or better. **Handle Diameter:** ranging from approximately 26–38 mm, providing a secure and comfortable grip. **Feature:** Flat and stable base for safe floor placement and storage. **Feature:** Textured matte powder-coated or		4	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		equivalent corrosion-resistant finish for improved grip and durability.			
34.	Cast Iron Kettlebell – 6 kg	**Construction:** Commercial-grade cast iron kettlebell manufactured from a single-piece high-quality cast iron construction or equivalent, designed for intensive commercial use. **Weight:** 6 kg. **Weight Tolerance:** ±1% or better. **Handle Diameter:** ranging from approximately 26–38 mm. **Feature:** Flat and stable base. **Feature:** Textured matte powder-coated or equivalent corrosion-resistant finish.		4	Nos
35.	Competition Kettlebell – 8 kg	**Construction:** Commercial-grade competition kettlebell manufactured from high-quality steel or cast steel construction conforming to standard competition dimensions. **Weight:** 8 kg. **Weight Tolerance:** ±1% or better. **Feature:** Ergonomic handle with diameter approximately 26–38 mm. **Feature:** Flat base for enhanced stability. **Finish:** Durable powder-coated or equivalent textured finish for secure grip and corrosion resistance.		4	Nos
36.	Competition Kettlebell 10kg	**Construction:** Commercial-grade competition kettlebell manufactured from high-quality steel or cast steel construction conforming to standard competition dimensions. **Weight:** 10 kg. **Weight Tolerance:** ±1% or better. **Feature:** Ergonomic handle with diameter approximately 26–38 mm. **Feature:** Flat base for enhanced stability. **Finish:** Durable powder-coated or equivalent textured finish.		4	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
37.	Competition Kettlebell – 12 kg	**Construction:** Commercial-grade competition kettlebell manufactured from high-quality steel or cast steel construction conforming to standard competition dimensions. **Weight:** 12 kg. **Weight Tolerance:** ±1% or better. **Feature:** Ergonomic handle with diameter approximately 26–38 mm. **Feature:** Flat base for enhanced stability. **Finish:** Durable powder-coated or equivalent textured finish.		4	Nos
38.	Competition Kettlebell – 16 kg	**Construction:** Commercial-grade competition kettlebell manufactured from high-quality steel or cast steel construction conforming to standard competition dimensions. **Weight:** 16 kg. **Weight Tolerance:** ±1% or better. **Feature:** Ergonomic handle with diameter approximately 26–38 mm. **Feature:** Flat base for enhanced stability. **Finish:** Durable powder-coated or equivalent textured finish.		2	Nos
39.	Commercial Air Bike	**Construction:** Heavy-duty commercial air resistance exercise bike with fan flywheel and dual belt drive system for smooth and low-maintenance operation. **Construction:** Heavy-duty steel frame with corrosion-resistant powder-coated finish. **Console:** LCD console displaying time, distance, speed, calories, RPM and other essential workout parameters. **Feature:** Ergonomic adjustable saddle with high-density cushioning and aluminium or equivalent seat post. **Construction:** Heavy-duty pedals with anti-slip surface. **Feature:** Integrated transport wheels for easy movement.		3	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		Maximum user weight: Minimum 150 kg. **Net Weight:** Approximately 55–60 kg. **Approximate Dimensions:** 1330 × 770 × 1330 mm.			
40.	Commercial Spin Bike	**Construction:** Heavy-duty commercial indoor cycling bike with minimum 20 kg precision-balanced flywheel, magnetic resistance system and belt drive for smooth, quiet operation. **Construction:** Heavy-duty steel frame with corrosion-resistant finish. **Adjustment:** Adjustable saddle (horizontal and vertical) and vertically adjustable handlebars. **Feature:** Aluminium or equivalent saddle post and pedals. **Feature:** Ergonomic handlebar with anti-slip finish. **Maximum user weight:** Minimum 150 kg. **Net Weight:** Approximately 60 kg. **Approximate Dimensions:** 1360 × 610 × 1240 mm.		12	Nos
41.	Manual Curved Treadmill	**Construction:** Heavy-duty self-powered curved treadmill with commercial-grade steel frame. **Feature:** Curved running surface approximately 1600 × 440 mm. **Feature:** Manual operation requiring no electrical power. **Console:** Large LCD display showing essential workout metrics including time, distance, speed, calories and interval programmes. **Feature:** Manual resistance system with minimum 4 resistance levels. **Feature:** Integrated transport wheels and water bottle holder. **Maximum user weight:** Minimum 150 kg. **Net Weight:** Approximately 125–130 kg. **Approximate Dimensions:** 1720 × 810 × 1700 mm.		1	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
42.	Power Sled	**Construction:** Heavy-duty commercial power sled manufactured from structural steel with corrosion-resistant powder-coated finish. **Dimensions:** Approximate footprint 915 × 600 mm. **Handle Dimensions:** approximately 910 mm long with 50 mm grip diameter. **Base Dimensions:** approximately 680 × 465 mm. **Compatibility:** approximately 455 mm long and compatible with 50 mm Olympic weight plates. **Weight:** Product weight approximately 33 kg.		1	Nos
43.	Sled Pull & Climbing Rope – 15 m	**Construction:** Commercial-grade training rope manufactured from high-strength synthetic fibre or natural manila rope suitable for sled pulling, climbing and functional training. **Length:** Approximately 15 metres. **Diameter:** Approximately 38 mm. **Net Weight:** Approximately 12 kg. **Construction:** Heavy-duty steel anchor clamp with integrated D-ring or equivalent anchoring system. **Feature:** Ends securely heat-sealed or reinforced to prevent fraying.		2	Nos
44.	Squat Wedge – 10°	**Construction:** Heavy-duty squat wedge manufactured from structural steel or equivalent high-strength material with 10° incline angle. **Surface:** Chequered or textured anti-slip surface for secure footing. **Feature:** Designed to improve ankle mobility, squat depth and lifting posture. **Feature:** Laser-cut or permanently marked angle identification. **Finish:** Durable powder-coated corrosion-resistant finish.		2	Pair
45.	Squat Wedge – 20°	**Construction:** Heavy-duty squat wedge manufactured from structural steel or equivalent high-strength material with 20° incline angle. **Surface:** Chequered or textured anti-slip surface for secure footing. **Feature:** Designed to improve ankle mobility, squat		2	Pair

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		depth and lifting posture. **Feature:** Laser-cut or permanently marked angle identification. **Finish:** Durable powder-coated corrosion-resistant finish.			
46.	Wall-Mounted 4-Barbell Storage Rack	**Construction:** Commercial-grade wall-mounted storage rack manufactured from minimum 6 mm structural steel with UHMW polyethylene or equivalent non-marking protective lining. **Compatibility:** Storage capacity for 4 Olympic barbells. **Approximate Dimensions:** 537 mm length × 135 mm width (per panel). **Adjustment:** Adjustable spacing suitable for various bar lengths. **Compatibility:** Supplied with heavy-duty wall mounting hardware and anchor fasteners. **Finish:** Corrosion-resistant powder-coated finish.		2	Nos
47.	Aluminium Lat Pulldown Bar Handle (3-Hole)	**Construction:** Commercial-grade aluminium cable attachment with lightweight, high-strength construction. **Knurling:** Precision-machined knurled grip for secure handling and smooth rotating bearing mechanism for unrestricted movement. **Feature:** Three cable attachment holes allowing centre or dual cable configurations. **Compatibility:** Compatible with standard cable crossover and selectorized strength machines. **Finish:** Corrosion-resistant anodized or equivalent durable finish.		2	Nos
48.	Slam Ball – 10 lb	**Construction:** Commercial-grade slam ball manufactured from heavy-duty rubber or PVC shell with reinforced construction. **Weight:** 10 lb. **Surface:** Textured anti-slip surface providing secure grip during training. **Feature:** Dead-bounce design to minimise rebound during slams and wall throws.		4	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		Feature: Filled with high-density material to maintain weight distribution and durability.			
49.	Slam Ball – 12 lb	**Construction:** Commercial-grade slam ball manufactured from heavy-duty rubber or PVC shell with reinforced construction. **Weight:** 12 lb. **Surface:** Textured anti-slip surface providing secure grip during training. **Feature:** Dead-bounce design to minimise rebound during slams and wall throws. **Feature:** Filled with high-density material to maintain weight distribution and durability.		4	Nos
50.	Slam Ball – 15 lb	**Construction:** Commercial-grade slam ball manufactured from heavy-duty rubber or PVC shell with reinforced construction. **Weight:** 15 lb. **Surface:** Textured anti-slip surface providing secure grip during training. **Feature:** Dead-bounce design to minimise rebound during slams and wall throws. **Feature:** Filled with high-density material to maintain weight distribution and durability.		4	Nos
51.	Weight Jacket	**Type:** Adjustable weighted training vest **Material:** Heavy-duty nylon / polyester with reinforced stitching **Weight Range:** 5 kg to 20 kg (adjustable removable weights) **Weight Inserts:** Iron/steel blocks or sand-filled packets **Fit:** Adjustable straps with secure locking (Velcro/buckle) **Comfort:** Breathable inner lining with padding **Stability:** Even weight distribution, anti-shift design **Usage:** Strength training, endurance, athletic conditioning		4	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
52.	EVA Foam Roller – 330 × 140 mm	**Construction:** Commercial-grade foam roller manufactured from high-density EVA foam with a durable PVC or equivalent reinforced core. **Approximate Dimensions:** 330 mm length × 140 mm diameter. **Feature:** Textured surface for effective muscle massage and myofascial release. **Feature:** Lightweight, durable and moisture-resistant construction.		25	Nos
53.	EVA Foam Roller – 420 × 140 mm	**Construction:** Commercial-grade foam roller manufactured from high-density EVA foam with a durable PVC or equivalent reinforced core. **Approximate Dimensions:** 420 mm length × 140 mm diameter. **Feature:** Textured surface for enhanced grip and muscle recovery. **Feature:** Lightweight, moisture-resistant and easy-to-clean construction.		25	Nos
54.	Aerobic Step Platform	**Construction:** Commercial-grade aerobic step platform manufactured from high-impact polypropylene or equivalent durable material with a non-slip textured surface. **Feature:** Approximate platform dimensions 780 × 300 mm. **Adjustment:** Adjustable height settings of approximately 110 mm, 150 mm and 200 mm using removable risers. **Weight:** Product weight approximately 2.5 kg. **Grip:** Non-slip rubber feet for enhanced stability.		6	Nos
55.	Magnetic Olympic Barbell Collars (50 mm) – Pair	**Construction:** Commercial-grade magnetic locking collars manufactured from high-strength reinforced polymer or equivalent durable material. **Compatibility:** Compatible with 50 mm Olympic barbells. **Feature:** Equipped with quick-release locking mechanism and rubber-lined interior for secure grip and protection of barbell sleeves. **Feature:** Lightweight, durable and easy to operate.		8	Pair

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
56.	Cable Attachment Handle Set (8-Piece)	**Feature:** ommercial-grade cable attachment set manufactured from high-strength steel, aluminium and heavy-duty nylon rope components with corrosion-resistant finish. **Feature:** Set shall include 8 mm carabiners (8 Nos.), straight bar (1 No.), EZ bar (1 No.), D handles (1 Pair), seated row handle (1 No.), triceps V handle (1 No.) and triceps rope (1 No.) or equivalent. **Feature:** Ergonomically knurled grips with smooth rotating eyelets or bearings where applicable. **Compatibility:** Compatible with all standard cable crossover and selectorized strength machines.		2	Set
57.	Training Sand Bag – 5 kg	**Construction:** Commercial-grade functional training sandbag with 5 kg fixed weight, manufactured from heavy-duty tear-resistant Cordura®, PVC-coated fabric or equivalent. **Approximate Dimensions:** 260 mm diameter × 650 mm length. **Feature:** Reinforced stitching with multiple heavy-duty carrying handles. **Feature:** Moisture-resistant construction with secure filling system.		5	Nos
58.	Training Sand Bag – 10 kg	**Construction:** Commercial-grade functional training sandbag with 10 kg fixed weight, manufactured from heavy-duty tear-resistant Cordura®, PVC-coated fabric or equivalent. **Approximate Dimensions:** 260 mm diameter × 650 mm length. **Feature:** Reinforced stitching with multiple heavy-duty carrying handles. **Feature:** Moisture-resistant construction with secure filling system.		5	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
59.	Drop / Crash Pads (Pair)	**Construction:** Commercial-grade noise and impact reduction crash pad set manufactured using heavy-duty vinyl ripstop fabric with high-density rebonded foam filling. **Approximate Dimensions:** of each pad 760 × 610 × 150 mm (30" × 24" × 6"). **Feature:** Reinforced nylon stitching with durable carrying handles. **Feature:** Approximate weight 9.5 kg per pad (19 kg per pair). **Weight Tolerance:** ±3%. **Feature:** Designed to reduce impact, vibration and noise during Olympic lifting and deadlift training.		1	Pair
60.	Soft Plyometric Box – 20 inch	**Construction:** High-density EPE/PU foam core **Feature:** outer heavy-duty anti-skid PVC (≥600 GSM) **Feature:** stitched + Velcro closure **Capacity:** load capacity ≥120 kg **Feature:** stable base **Feature:** shock-absorbing edges **Dimensions:** Height 20 inch		2	Nos
61.	Soft Plyometric Box – 24 inch	**Construction:** High-density EPE/PU foam core **Feature:** outer heavy-duty anti-skid PVC (≥600 GSM) **Feature:** stitched + Velcro closure **Capacity:** load capacity ≥120 kg **Feature:** stable base **Feature:** shock-absorbing edges **Dimensions:** Height 24 inch		2	Nos
62.	Soft Plyometric Box – 30 inch	**Construction:** High-density EPE/PU foam core **Feature:** outer heavy-duty anti-skid PVC (≥600 GSM) **Feature:** stitched + Velcro closure **Capacity:** load capacity ≥120 kg **Feature:** stable base **Feature:** shock-absorbing edges **Dimensions:** Height 30 inch		2	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
63.	Glute Ham Developer (GHD)	**Construction:** Commercial-grade Glute Ham Developer manufactured from heavy-duty structural steel with corrosion-resistant powder-coated finish. **Adjustment:** Adjustable system with minimum 14 horizontal and 5 vertical adjustment positions. **Construction:** High-density foam pads with durable upholstery. **Feature:** Chequered anti-slip footplate, resistance band pegs and integrated PU transport wheels. **Approximate Dimensions:** 1704 × 795 × 1090 mm. **Weight:** Approximate product weight 68 kg.		2	Nos
64.	Urethane Dumbbell – 2.5 kg	**Construction:** Commercial-grade fixed dumbbell manufactured from solid steel with premium urethane-coated heads for superior durability and floor protection. **Weight:** 2.5 kg. **Construction:** Ergonomic straight chrome-plated steel handle with precision-machined diamond knurling. **Handle Length:** Approximately 150 mm. **Handle Diameter:** Approximately 32 mm. **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±1.5% or better.		4	Pair
65.	Urethane Dumbbell – 5 kg	**Construction:** Commercial-grade fixed dumbbell manufactured from solid steel with premium urethane-coated heads for superior durability and floor protection. **Weight:** 5 kg. **Construction:** Ergonomic straight chrome-plated steel handle with precision-machined diamond knurling. **Handle Length:** Approximately 150 mm. **Handle Diameter:** Approximately 32 mm. **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±1.5% or better.		4	Pair

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
66.	Urethane Dumbbell – 7.5 kg	**Construction:** Commercial-grade fixed dumbbell manufactured from solid steel with premium urethane-coated heads for superior durability and floor protection. **Weight:** 7.5 kg. **Construction:** Ergonomic straight chrome-plated steel handle with precision-machined diamond knurling. **Handle Length:** Approximately 150 mm. **Handle Diameter:** Approximately 32 mm. **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±1.5% or better.		4	Pair
67.	Urethane Dumbbell – 10 kg	**Construction:** Commercial-grade fixed dumbbell manufactured from solid steel with premium urethane-coated heads for superior durability and floor protection. **Weight:** 10 kg. **Construction:** Ergonomic straight chrome-plated steel handle with precision-machined diamond knurling. **Handle Length:** Approximately 150 mm. **Handle Diameter:** Approximately 32 mm. **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±1.5% or better.		4	Pair
68.	Urethane Dumbbell – 12.5 kg	**Construction:** Commercial-grade fixed dumbbell manufactured from solid steel with premium urethane-coated heads for superior durability and floor protection. **Weight:** 12.5 kg. **Construction:** Ergonomic straight chrome-plated steel handle with precision-machined diamond knurling. **Handle Length:** Approximately 150 mm. **Handle Diameter:** Approximately 32 mm. **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±1.5% or better.		2	Pair

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
69.	Urethane Dumbbell – 15 kg	**Construction:** Commercial-grade fixed dumbbell manufactured from solid steel with premium urethane-coated heads for superior durability and floor protection. **Weight:** 15 kg. **Construction:** Ergonomic straight chrome-plated steel handle with precision-machined diamond knurling. **Handle Length:** Approximately 150 mm. **Handle Diameter:** Approximately 32 mm. **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±1.5% or better.		2	Pair
70.	Urethane Dumbbell – 17.5 kg	**Construction:** Commercial-grade fixed dumbbell manufactured from solid steel with premium urethane-coated heads for superior durability and floor protection. **Weight:** 17.5 kg. **Construction:** Ergonomic straight chrome-plated steel handle with precision-machined diamond knurling. **Handle Length:** Approximately 150 mm. **Handle Diameter:** Approximately 32 mm. **Finish:** Matte or equivalent wear-resistant finish. **Weight Tolerance:** ±1.5% or better.		2	Pair
71.	Multi Hip Machine	**Construction:** Commercial-grade selectorized multi hip machine manufactured from heavy-duty structural steel with corrosion-resistant electrostatic powder-coated finish. **Construction:** Heavy-duty frame assembled using high-strength fasteners (minimum Grade 8.8 or equivalent). **Feature:** Equipped with minimum 1,500 kg rated aircraft-grade steel cables, precision-machined nylon (PA) and POM pulleys with sealed bearings for smooth operation. **Construction:** Full ABS or equivalent protective shrouds enclosing the weight stack. **Feature:** Stainless steel wear plates with protective		1	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		bar hooks. **Adjustment:** Gas-assisted seat and/or pad adjustment mechanism with clearly marked adjustment positions. **Feature:** Magnetic selector pin with tether. **Feature:** Ergonomically designed movement based on advanced biomechanics to provide smooth, natural and safe exercise motion.			
72.	Hip Adduction/Abduction Combo Machine	**Construction:** Commercial-grade selectorized hip adduction/abduction combination machine manufactured from heavy-duty structural steel with corrosion-resistant electrostatic powder-coated finish. **Construction:** Heavy-duty frame assembled using high-strength fasteners (minimum Grade 8.8 or equivalent). **Feature:** Equipped with minimum 1,500 kg rated aircraft-grade steel cables, nylon (PA) and POM precision pulleys with sealed bearings. **Construction:** Full ABS or equivalent weight stack shrouds. **Adjustment:** Gas-assisted adjustment system with ergonomic thigh pads and adjustable range of motion. **Feature:** Magnetic selector pin with safety tether. **Feature:** Designed using advanced biomechanics to ensure smooth, natural and comfortable movement.		2	Nos
73.	Functional Trainer	**Construction:** Commercial-grade dual adjustable pulley functional trainer manufactured from heavy-duty structural steel with corrosion-resistant powder-coated finish. **Construction:** Dual adjustable cable columns with smooth single-hand height adjustment mechanism. **Minimum total weight stack:** 180 kg with approximately 1: 2 pulley ratio. **Feature:** High-strength aircraft-grade steel cables rated for minimum 1,500 kg breaking strength.		1	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		Feature: Precision nylon/POM pulleys with sealed bearings. **Feature:** Minimum 4 integrated cable attachment storage hooks. **Feature:** Multi-grip pull-up bar integrated into the frame. **Dimensions:** Approximate footprint 1790 × 1075 × 2280 mm. **Weight:** Approximate product weight 395 kg.			
74.	Leg Extension / Prone Leg Curl Combo Machine	**Construction:** Commercial-grade selectorized leg extension and prone leg curl combination machine manufactured from heavy-duty structural steel with corrosion-resistant electrostatic powder-coated finish. **Feature:** Equipped with minimum 1,500 kg rated aircraft-grade steel cables, nylon (PA) and POM precision pulley system with sealed bearings. **Construction:** Full ABS or equivalent weight stack shrouds. **Feature:** Ergonomic adjustment system with gas-assisted seat and roller pad positioning. **Feature:** Stainless steel wear plates and magnetic selector pin with safety tether. **Feature:** Advanced biomechanical design ensuring smooth transition between leg extension and leg curl exercises.		2	Nos
75.	Fixed Angle Sit-Up Bench	**Construction:** Commercial-grade fixed decline sit-up bench manufactured from heavy-duty structural steel with corrosion-resistant powder-coated finish. **Feature:** Fixed decline angle of approximately 20°. **Construction:** High-density foam padding with durable tear-resistant upholstery providing ergonomic support. **Safety:** Stable non-slip frame with rubber feet for enhanced floor protection. **Approximate Dimensions:** 1445 × 628 × 758 mm. **Weight:** Approximate product weight 46 kg.		2	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
76.	Adjustable Roman Bench	**Construction:** Commercial-grade adjustable Roman bench manufactured from heavy-duty structural steel with corrosion-resistant powder-coated finish. **Adjustment:** Adjustable leg support with smooth locking mechanism and chrome-plated guide rods. **Construction:** High-density foam dual pads designed to support proper spinal alignment. **Grip:** Anti-slip chequered foot platform and ergonomic support handles for safe mounting and dismounting. **Application:** Designed for back extensions, hyperextensions, glute and hamstring strengthening, core stability and rehabilitation exercises.		2	Nos
77.	Utility Bench	**Construction:** Commercial-grade utility bench manufactured from heavy-duty structural steel with corrosion-resistant powder-coated finish. **Feature:** Fixed backrest angle of approximately 85° suitable for seated shoulder presses and upper body exercises. **Construction:** High-density foam padding with durable upholstery. **Grip:** Anti-slip rubber feet and integrated transport wheels for easy mobility. **Approximate Dimensions:** 641 × 528 × 1059 mm. **Weight:** Approximate product weight 25 kg.		3	Nos
78.	Sissy Squat Combination Trainer	**Construction:** Commercial-grade multifunctional training bench designed for Sissy Squats, Nordic Hamstring Curls and Flat-to-Incline Bench Exercises. **Construction:** Heavy-duty structural steel construction with corrosion-resistant powder-coated finish. **Adjustment:** Adjustable backrest with minimum five positions (0°, 15°, 30°, 45° and 60°). **Adjustment:** Adjustable foot rollers and knee support system for secure positioning.		2	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		Grip: Anti-slip chequered foot platform. **Dimensions:** Bench height approximately 350 mm in flat position.			
79.	Smith Machine	**Construction:** Commercial-grade Smith machine manufactured from heavy-duty structural steel with corrosion-resistant powder-coated finish. **Safety:** Counterbalanced guided bar with approximately 8° angled movement for natural lifting motion. **Construction:** Heavy-duty linear bearing system ensuring smooth and controlled operation. **Adjustment:** Adjustable safety catches and bar stops for user safety. **Feature:** Integrated minimum six Olympic weight plate storage horns compatible with 50 mm Olympic plates. **Approximate Dimensions:** 2500 × 1250 × 2340 mm. **Weight:** Approximate product weight 225 kg.		1	Nos
80.	Vertical Knee Raise / Dip Station	**Construction:** Commercial-grade vertical knee raise and dip station manufactured from heavy-duty structural steel with corrosion-resistant electrostatic powder-coated finish. **Feature:** Ergonomically designed elbow pads, back support and non-slip dip handles. **Construction:** Heavy-duty frame assembled using high-strength fasteners. **Feature:** Stable base with anti-slip rubber feet. **Feature:** Designed using advanced biomechanics to provide safe and comfortable upper body and core training.		1	Nos
81.	Yoga Mat	**Construction:** Commercial-grade exercise mat manufactured from high-density closed-cell foam, NBR, EVA or equivalent material providing excellent shock absorption and cushioning. **Approximate Dimensions:** 1800 × 600 mm with 10–15 mm thickness. **Grip:** Non-slip textured surface on both sides for		50	Nos

Sl No.	Item Name	Specification	Reference Image/does not mean the brand	Qty.	Unit
		enhanced safety during exercise. **Feature:** Sweat-resistant, moisture-resistant, tear-resistant and easy-to-clean construction. **Feature:** Lightweight rollable design for convenient storage and portability.			
82.	Athletics Hurdle	**Frame:** High-grade aluminium/steel structure (base section ≥50×50×3 mm), corrosion-resistant powder coating. **Top Bar:** 1200 mm width, made of PVC/wood core with plastic coating, rounded edges, thickness ~18 mm for safety. **Height Adjustment:** Minimum 5 standard positions – 0.762 m, 0.838 m, 0.914 m, 0.991 m, 1.067 m (men & women events). **Counterweight System:** Adjustable sliding/automatic counterweight system to ensure correct toppling force as per WA rules. **Base Design:** Heavy base with anti-slip pads, stable feet (~700 mm depth), stackable design. **Adjustment Mechanism:** Spring-loaded push button or quick-lock system. **Weight:** Approx. 12–15 kg per hurdle. **Finish:** Weather-resistant, powder-coated/anodized.		16	Nos
83.	SWISS BALL	**Construction:** Anti-burst heavy-duty PVC construction **Grip:** Non-slip textured surface for improved grip and stability **Application:** Suitable for core training, balance, mobility, and rehabilitation exercises **Recommended size for U16 football athletes:** 65 cm **Capacity:** High load-bearing capacity with durable sweat-resistant material **Feature:** Lightweight, portable, and easy inflation design		20	Nos

Delivery locations

AIFF-FIFA-Odisha Talent Academy
Odisha Football Academy,
7th Battalion, Nalco Chowk,
Gajapati Nagar, Bhubaneswar –
751013,
Odisha, India.
or
Anywhere in Odisha as per the direction by the Department.

Annexure IX: Work experience Format

Annexure IX-A

Details of Past Experience in Supply of Gym Equipment

(To be submitted on the Bidder's Letterhead)

The bidder shall furnish the details of similar supply orders executed during the last three (3) financial years and up to the bid submission date in the format given below:

Sl. No.	Name of Client (Government Department / Government Organization / PSU / Local Body)	Name of the Work / Supply	Supply Order / Purchase Order / Agreement No. & Date	Contract Value (Excluding GST) (₹)	Date of Completion	Supporting Documents Enclosed (Supply Order, Completion Certificate, etc.)
1						
2						
3						
4						
5						

Declaration by the Bidder

I/We hereby certify that the information furnished above is true and correct. The contracts mentioned above have been successfully completed and satisfy the eligibility criteria prescribed in the RFP. I/We understand that any false declaration or suppression of facts shall render the bid liable for rejection.

Place:

Date:

Signature of the Authorized Signatory

Name:

Designation:

Name of the Bidder:

Seal

Annexure IX-B

Certificate by Chartered Accountant

(On the Letterhead of the Practicing Chartered Accountant)

This is to certify that, based on the books of accounts, audited financial statements, supporting records, copies of Supply Orders/Purchase Orders/Work Orders/Agreements, Completion Certificates/Performance Certificates, invoices, and other relevant documents produced before us by **M/s _____**, we certify that the bidder has successfully completed similar supply orders for **Gym Equipment** during the last three (3) financial years and up to the bid submission date.

Sl. No.	**Name of Client**	**Supply Order / Contract No. & Date**	**Description of Supply**	**Contract Value (₹) *(Excluding GST)***	**Date of Completion**
1					
2					
3					

Below the table, include the CA's certification:

Certificate by Chartered Accountant

Based on the books of accounts, audited financial statements, supply orders/work orders, agreements, completion certificates/performance certificates, invoices, and other supporting records produced before us, we hereby certify that the above-mentioned contracts have been verified and that **M/s _____** satisfies the eligibility criterion prescribed under Clause ___ of the RFP, namely:

- One (1) similar supply order having a minimum contract value of **₹1.50 Crore (excluding GST)**; **or**
- Two (2) similar supply orders, each having a minimum contract value of **₹75.00 Lakh (excluding GST)**; **or**
- Three (3) similar supply orders, each having a minimum contract value of **₹50.00 Lakh (excluding GST)**,

We further certify that the details furnished by the bidder in **Annexure IX-A** have been verified from the relevant records and are found to be true and correct.

This certificate is issued at the specific request of the bidder for submission in response to the RFP floated by the Sports & Youth Services Department, Government of Odisha.

Particulars	**Details**
Name of Chartered Accountant	
Membership No.	
Name of CA Firm	
Firm Registration No.	
UDIN	
Date	
Place	

Signature of the Chartered Accountant

(Seal of the CA Firm)

Annexure X: Compliance Certificate

We hereby certify and declare that the quality, make, brand, and specifications of all equipment quoted by us in response to Tender No. _____ are strictly in conformity with the terms, conditions, and technical specifications prescribed in the RFP.

We further confirm that no deviation, variation, or exception has been taken to any of the provisions of the tender document.

We understand and agree that any deviation found at any stage of evaluation or execution shall render our bid liable for rejection and may lead to further action as per tender conditions.

Signature of the Bidder
Name & Designation:
Seal & Address of the Organization

Annexure XI: Financial Proposal Form (To be submitted online only (In the BoQ Sheet) and not as part of the Technical Proposal)

Sl. No	Item Name	Qty.	Unit	Basic Cost per Unit (B)	Total Cost of Equipment (C) = (A * B)
1.	The Hex Trap Bar(26kg, 28mm and 32mm)	2	Nos		
2.	Open Olympic Trap Bar	2	Nos		
3.	The Drill Bar 28mm	6	Nos		
4.	Multipurpose Olympic Barbell (20 kg, 28.5 mm)	2	Nos		
5.	Junior Olympic Barbell (10 kg, 25 mm)	4	Nos		
6.	Women's Olympic Barbell (15 kg, 25 mm)	2	Nos		
7.	Black Rubber Bumper Plate – 5 kg (Per Piece)	4	Nos		
8.	Black Rubber Bumper Plate – 10 kg (Per Piece)	4	Nos		
9.	Black Rubber Bumper Plate – 15 kg	2	Nos		
10.	Colour Rubber Bumper Plate – 5 kg	6	Nos		
11.	Colour Rubber Bumper Plate – 10 kg	4	Nos		
12.	Colour Rubber Bumper Plate – 15 kg	2	Nos		
13.	Fractional Colour Rubber Plate Set (15 kg Set)	1	Set		
14.	Flat Bench (Welded)	2	Nos		
15.	Adjustable Flat/Incline/Decline (FID) Bench	4	Pair		
16.	J-Cup Pair for Power Rack/Rig	2	Pair		
17.	Safety Strap Belt Set (41-inch Rack Depth)	1	Pair		

Sl. No	Item Name	Qty.	Unit	Basic Cost per Unit (B)	Total Cost of Equipment (C) = (A * B)
18.	Leg Roller Attachment	1	Nos		
19.	Safety Spotter Arm Pair	4	Pair		
20.	Four-Station Functional Training Rig with Monkey Bars	1	Nos		
21.	Landmine Attachment for Power Rack/Rig	1	Nos		
22.	Vertical Plate Storage Tree	2	Nos		
23.	Vertical 9-Bar Storage Holder	2	Nos		
24.	Three-Tier Dumbbell Rack	1	Nos		
25.	Latex Resistance Band – Light (5–15 lb)	10	Nos		
26.	Latex Resistance Band – Medium Light (15–35 lb)	10	Nos		
27.	Latex Resistance Band – Medium (25–65 lb)	10	Nos		
28.	Latex Resistance Band – Medium Heavy (35–85 lb)	10	Nos		
29.	Latex Resistance Band – Heavy (50–120 lb)	10	Nos		
30.	Latex Resistance Band – Extra Heavy (60–160 lb)	5	Nos		
31.	Latex Resistance Band – Ultra Heavy (90–220 lb)	5	Nos		
32.	Latex Resistance Band – Maximum Resistance (120–240 lb)	2	Nos		
33.	Cast Iron Kettlebell – 4 kg	4	Nos		
34.	Cast Iron Kettlebell – 6 kg	4	Nos		
35.	Competition Kettlebell – 8 kg	4	Nos		
36.	Competition Kettlebell 10kg	4	Nos		
37.	Competition Kettlebell – 12 kg	4	Nos		

Sl. No	Item Name	Qty.	Unit	Basic Cost per Unit (B)	Total Cost of Equipment (C) = (A * B)
38.	Competition Kettlebell – 16 kg	2	Nos		
39.	Commercial Air Bike	3	Nos		
40.	Commercial Spin Bike	12	Nos		
41.	Manual Curved Treadmill	1	Nos		
42.	Power Sled	1	Nos		
43.	Sled Pull & Climbing Rope – 15 m	2	Nos		
44.	Squat Wedge – 10°	2	Pair		
45.	Squat Wedge – 20°	2	Pair		
46.	Wall-Mounted 4-Barbell Storage Rack	2	Nos		
47.	Aluminium Lat Pulldown Bar Handle (3-Hole)	2	Nos		
48.	Slam Ball – 10 lb	4	Nos		
49.	Slam Ball – 12 lb	4	Nos		
50.	Slam Ball – 15 lb	4	Nos		
51.	Weight Jacket	4	Nos		
52.	EVA Foam Roller – 330 × 140 mm	25	Nos		
53.	EVA Foam Roller – 420 × 140 mm	25	Nos		
54.	Aerobic Step Platform	6	Nos		
55.	Magnetic Olympic Barbell Collars (50 mm) – Pair	8	Pair		
56.	Cable Attachment Handle Set (8-Piece)	2	Set		
57.	Training Sand Bag – 5 kg	5	Nos		
58.	Training Sand Bag – 10 kg	5	Nos		

Sl. No	Item Name	Qty.	Unit	Basic Cost per Unit (B)	Total Cost of Equipment (C) = (A * B)
59.	Drop / Crash Pads (Pair)	1	Pair		
60.	Soft Plyometric Box – 20 inch	2	Nos		
61.	Soft Plyometric Box – 24 inch	2	Nos		
62.	Soft Plyometric Box – 30 inch	2	Nos		
63.	Glute Ham Developer (GHD)	2	Nos		
64.	Urethane Dumbbell – 2.5 kg	4	Pair		
65.	Urethane Dumbbell – 5 kg	4	Pair		
66.	Urethane Dumbbell – 7.5 kg	4	Pair		
67.	Urethane Dumbbell – 10 kg	4	Pair		
68.	Urethane Dumbbell – 12.5 kg	2	Pair		
69.	Urethane Dumbbell – 15 kg	2	Pair		
70.	Urethane Dumbbell – 17.5 kg	2	Pair		
71.	Multi Hip Machine	1	Nos		
72.	Hip Adduction/Abduction Combo Machine	2	Nos		
73.	Functional Trainer	1	Nos		
74.	Leg Extension / Prone Leg Curl Combo Machine	2	Nos		
75.	Fixed Angle Sit-Up Bench	2	Nos		
76.	Adjustable Roman Bench	2	Nos		
77.	Utility Bench	3	Nos		
78.	Sissy Squat Combination Trainer	2	Nos		
79.	Smith Machine	1	Nos		

Sl. No	Item Name	Qty.	Unit	Basic Cost per Unit (B)	Total Cost of Equipment (C) = (A * B)
80.	Vertical Knee Raise / Dip Station	1	Nos		
81.	Yoga Mat	50	Nos		
82.	Athletics Hurdle	16	Nos		
83.	SWISS BALL	20	Nos		

Notes:

1) Financial proposal is to be submitted online only
2) Basic rates should be per unit.
3) The basic and total rate should be inclusive of supply, transportation, installation, warranty, charges.
4) Rates should be exclusive of all statutory taxes.
5) The financial proposal shall be valid for a period of 180 days from the date of submission. If accepted, the applicable rates shall be valid for a period of 3 Years from the date of award of supply order. However, owing to special circumstances, DSYS, Govt. of Odisha reserves option to have a new tender for additional Gym equipment or purchase by issuing another tender.
6) The above quantity of Gym equipment is indicative and may be increased or decreased as per actual requirement of DSYS, Govt. of Odisha.
7) The rates quoted for each of the equipment shall be applicable for supply anywhere in the state of Odisha for a period of 3 Years from the date of award of supply order.
8) In case the preferred bidder is unable to supply the agreed quantity of Gym equipment, as per specifications and/or within stipulated time DSYS, Govt. of Odisha reserves the right to negotiate with the next preferable bidder for supply of some of the equipment.

Annexure XII: Format for Performance Security

Form of Bank Guarantee for Performance Security

To

Sports and Youth Services Department,
Government of Odisha, Govt. of Odisha,
Kalinga Stadium, Nayapalli, Bhubaneswar
- 751012

WHEREAS _____[Name and address of the Service Provider] (hereinafter called "the Agency") has undertaken, in pursuance of Contract No. _____

_____to provide the services on terms and conditions set forth in this Contract _____[Name of contract and brief description of works) (hereinafter called the "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Agency shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract

AND WHEREAS we have agreed to give the Agency such a Bank Guarantee;

NOW THEREOF we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Agency up to a total of _[amount of Guarantee] ___[in words], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of _____[amount of Guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the Agency before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contractor of the services to be performed thereunder or of any of the Contract documents which may be made between you and the Agency shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification. The liability of the Bank under this Guarantee shall not be affected by any change in the constitution of the Agency or of the Bank.

"This guarantee shall also be operatable at our .....Branch at , Odisha, from whom, confirmation regarding the issue of this guarantee or extension / renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment there under claimed, the said branch shall accept such invocation letter

and payment of amounts so demanded under the said invocation."

Notwithstanding anything contained herein before, our liability under this guarantee is restricted to Rs. _____(Rs. _____) and the guarantee shall remain valid till_____. Unless a claim or a demand in writing is made upon us on or before

_____all our liability under this guarantee shall cease.

Notwithstanding anything contained hereinabove."

A. Our liability under this guarantee shall not exceed Rs._____(Rupees____).
B. This bank guarantee shall be valid up to .
C. We are liable to pay the guarantee amount or any part thereof under this bank guarantee only and only if you serve upon us, a written claim or demand on or before .

Signature and Seal of the Guarantor _____

In the presence of Name and Designation

1 _____(Name, Signature & Occupation)

Name of the Bank Address

2 _____(Name & Occupation)

Annexure XIII: Manufacturer's Authorization Letter

(To be submitted on the Original Letterhead of the Manufacturer/OEM or Authorized Distributor. Applicable only if the Bidder is not the Manufacturer/OEM.)To

Director, Sports

Sports and Youth Services Department, Government of

Odisha,

Kalinga Stadium, Nayapalli,

Bhubaneswar
Odisha – 751012

Sub: Request for Proposal (RFP) for Supply, Installation, Testing and Commissioning of Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar under the Sports & Youth Services Department, Government of Odisha.

Ref: RFP No. XXXXX Dated. XXXXX

Respected Sir,

We, **M/s** _____, being the **Original Equipment Manufacturer (OEM)/Authorized Distributor** of the products listed below, hereby authorize **M/s** _____ **(Name of the Bidder)** to participate in the above-mentioned tender and to supply our products against the said RFP.
We confirm that:

1. The Bidder is authorized to quote, supply and provide warranty support for the products listed below.
2. We shall honour the warranty obligations for the products supplied through the Bidder during the warranty period specified in the RFP.
3. The products offered are genuine and conform to the specifications prescribed in the RFP.

Product Details

Sl. No.	Item Name	Offered Brand	Offered Model No.	OEM Authorization Submitted (Page no)
1				
2				
3				
…				

We hereby certify that the above information is true and correct.
For M/s _____
Authorized Signatory
Name:
Designation:
Signature:
Company Seal
Date:

Annexure XIV: Certifications and Product literature

Equipment Names and Model Number offered by the bidder (To be attached with Annexure XIII on letterhead of manufacturer/distributor)

Sl. No	Name of the Equipment	Technical Specifications (in order as mentioned in Annexure VIII: Requirement of Gym Equipment)	Make	Model
1				
2				
3				
4				
5				
6				
7				

I have read the terms and conditions mentioned in the tender document and undertake to abide the same during the contract period and the information given in the technical bid by the undersigned is correct.

(SIGNATURE OF THE BIDDER)
With Company address and
Seal

Annexure XV: Affidavit Regarding Non-Blacklisting / Non-Debarment

(To be executed on a Non-Judicial Stamp Paper of ₹100/- and duly notarized)

I, Mr./Ms. _____, Authorized Signatory of M/s_____, having its registered office at _____, do hereby solemnly affirm and declare that:

1. M/s _____ has not been blacklisted, debarred, suspended, or declared ineligible by any Government Department, Public Sector Undertaking (PSU), Autonomous Body, Statutory Body, Government Local Body, Public Sector Bank, or any other Government Organization in India on account of corrupt, fraudulent, collusive, coercive, or unethical business practices, as on the Bid Submission Date.
2. No proceedings relating to such blacklisting, debarment, suspension, or declaration of ineligibility are pending before any Court of Law or competent authority as on the Bid Submission Date.
3. I understand that if the above declaration is found to be false or incorrect at any stage, the Bid shall be liable for rejection and, if awarded, the Contract shall be liable for termination, without prejudice to any other action permissible under the terms of the RFP and applicable law.

I hereby declare that the above information is true and correct to the best of my knowledge and belief.

DEPONENT
(Signature)
Name:
Designation:
Name of the Bidder:
Place:
Date:
(To be duly notarized by a Notary Public)

Annexure XVI: Format of Pre-Bid Queries

To

Director, Sports

Sports & Youth Services Department,

Govt. of Odisha,

Nayapalli, Bhubaneswar - 751012

Sub: Request for Proposal (RFP) for Supply, Installation, Testing and Commissioning of Gym Equipment for the AIFF-FIFA-Odisha Talent Academy, Bhubaneswar under the Sports & Youth Services Department, Government of Odisha.

Ref: RFP No. XXXXX Dated. XXXXX

Sir,

The following are the Clarifications and Comments from the Terms and Conditions and Scope of Work for the subject RFP. These Clarifications are exhaustive.

Sl.No.	Clause No. and Page reference	RFP text	Query
1			
2			
…			

Yours faithfully,

Authorized Signatory

(with Name, Designation, Contact no. and Seal)

Note: On the Letterhead of the Bidder

Annexure XVII: Format of Contract

CONTRACT AGREEMENT

CONTRACT FORM FOR SUPPLY OF THE EQUIPMENT

Contract Number: _____ Dated: _____

This is in continuation to notification of award number _____

1. **Name & address of the Supplier:**
2. **Name & address of the Purchaser**: Sports and Youth Services Department, Government of Odisha, Kalinga Stadium, Nayapalli, Bhubaneswar, Odisha – 751012
3. Purchaser's Bidding Document No: _____ Dated: _____ (referred to as 'RFP' hereafter) and subsequent Corrigendum(s) issued by the purchaser.
4. In addition to this contract form, the following documents shall also be deemed to form and be read and construed as integral part of the contract:
   (i) Letter of Award No: _____ Dated _____
   (ii) Work Order No _____ Dated _____
   (iii) Purchaser's Bidding Document No: _____ Dated: _____ and subsequent Corrigendum(s) issued by the purchaser.
   (iv) Financial Proposal/BOQ submitted by the supplier (Annexure I of this Contract)
   (v) Inspection and acceptance certificate (Annexure II of this Contract)
   (vi) Equipment to be delivered as per Consignee (Annexure III of this Contract)
5. **Delivery schedule:** Within 30 days from the date of issue of the Work Order, and as per Equipment delivery details mentioned at Annexure – III of this Contract.
6. **Consignee(s)/ Terms of Delivery:** Equipment are to be delivered and installed at the consignee sites as mentioned at Annexure – C of this Contract. The postal addresses of the Consignee(s) are as follows:

Sl. No	Consignee	City	Address
	Mentioned in the RFP Annexure VIII		

7. Value of the contract will be _____(In Words) only, exclusive of applicable /statutory taxes.
8. Price Schedule furnished by the supplier (BoQ enclosed as Annexure - I as part of this contract). The Prices Quoted will be firm and fixed.
9. All prices are inclusive of supply, transportation, installation, maintenance, and warranty as per terms and conditions of the RFP and exclusive of applicable /statutory taxes.
10. Performance Security will be 5% of total contract value as per clause 22 of the RFP.
11. Any other additional services (if applicable) and cost thereof will be NIL.
12. Goods and services (in terms of servicing, warranty, and maintenance) supplied/ provided by the supplier will be as per RFP and associated corrigendum(s).
13. All equipment supplied are to be Strictly Compliant with all Technical Specifications as mentioned in the RFP.
14. **Start of Warranty duration:** As per Tender Requirements of the RFP from the date of completion of installation and testing after delivery.
15. **Payment terms:** As per Clause 23 of the RFP, subject to submission of verified inspection and acceptance certificate.
16. Inspection will be carried out after delivery and installation of the equipment, by a team nominated by DSYS, Odisha.
17. **Penalty:** As per clause 19 of the RFP.
18. **Packing and Marking:** The goods shall be properly packed and marked to avoid any loss and damage during transit.
19. **Paying Authority:** Sports and Youth Services Department, Government of Odisha.
20. **Price Validity:** The rates quoted for each of the equipment shall be applicable for supply anywhere in the state of Odisha for a period of 24 months from the date of award of supply order.
21. **After Sales Service:** The supplier will provide prompt after sales service from the date of delivery of the equipment requirement as mentioned in the RFP.

22. **Enclosures:**

(i) Annexure A: Financial Proposal/BOQ submitted by the supplier

(ii) Annexure B: Inspection and acceptance certificate

(iii) Annexure C: Equipment to be delivered as per Consignee

Director, Sports
Sports & Youth Services Department,
Government of Odisha
Kalinga Stadium Sports Complex,
Bhubaneswar-751012

Name, Designation, Organization, Address of Supplier/OEM, (With Seal and Signature) Date: _
Place: _____

Witness: (One each from Purchaser's and Supplier's end)

1. _____

2. _____

Annexure – A

Financial Proposal (BOQ)

Annexure - B

INSPECTION & ACCEPTANCE CERTIFICATE

RFP Reference No: Dated:

Certified that the following store(s) has/ have received the entire list of equipment requirement in full & good condition as per the RFP specifications and terms & conditions of the RFP and associated corrigendum(s). All such equipment has been installed and commissioned and onsite training for operation of the equipment has been provided by the supplier free of cost wherever applicable:

1. Contract/Work Order No. & Date : _____
2. Supplier's Name & Address : _____
3. Consignee : _____
4. Description of the items supplied : _____
5. Quantity Supplied & Received : _____
6. Date of Receipt by the Consignee : _____
7. Damages/Shortages/Recoveries : _____
8. Remarks, if any : _____
9. Ledger Entry Details (Including Page No.)

( ) ( ) ( )

Signatures of Inspection & Acceptance Committee Members

Counter signed by Concerned officer

Date _____

Place_____

(Seal)

Annexure - C

AIFF-FIFA-Odisha Talent Academy
Odisha Football Academy,
7th Battalion, Nalco Chowk,
Gajapati Nagar, Bhubaneswar – 751013,
Odisha, India.
or
Anywhere in Odisha as per the direction by the
Sports and Youth Service Department,
Government of Odisha